PM

## 18 JUL 1994

Ms. Jean Killoren Wisconsin Pharmacal Company Division of Badger Pharmacal, Inc. 2977 Highway 60 P.O. Box 198 Jackson, WI 53037

Dear Ms. Killoren:

Subject: Label Revisions EPA Reg. No. 305-28 EPA Reg. No. 305-30 EPA Reg. No. 305-31 EPA Reg. No. 305-32 EPA Reg. No. 305-39 EPA Reg. No. 305-40 Submission: June 30, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

The Insect Protection Factor is not acceptable. Please remove all IPF (Insect Protection Factor) labeling from each of these products. It is not clear to us that higher concentrations of DEET are necessarily more efficacious. Also, if we were to approve such a factor, "IPF" marketing claims could proliferate and we would be unable to determine what may be an appropriate factor for multiple active ingredients or other active ingredients. We consider these claims to be misbranding as described in 40 CFR 156.10(a)5.

Sincerely,

Marion'J/Johnson, Jr. Acting Product Manager 10 Insecticide & Rodenticide Branch Registration Division (7505C)

- 100% DEET Formula
- · Protects for up to 10 hours
- For severe conditions
- Withstands water, perspiration and wear
- The most concentrated inspect repellent you can buy



Effective, Long Lasting Insect Protection

The IPF (Insect Protection Factor) was developed to remove the mystery in choosing the appropriate level of insect protection. The IPF number corresponds to the amount of insect protection that each Repel product provides. A lower IPF is appropriate for times when bugs are few, a higher IPF is for use when bugs are really biting.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all directions before using this product.

Apply over all exposed skin to repel mosquitoes, ticks, and biting flies. To apply to face and neck, dispense on palm and rub on, Do not spray in enclosed areas. For chiggers, ticks and fleas, apply to socks, tops of shoes and recund other openings in outer clothing. Use just enough repellent to cover exposed skin and clothing. Do not use under clothing. Avoid overexposure, Frequent reapplication and saturation is unnecessary for effectiveness. After returning indoors, wash treated skin and clothing with soap and water. Do not apply to synthesic fabrics, May be used on cotton and wool. MAY DAMAGE FURNITURE FINISHES, LEATHERS, PLASTICS, PAINTED SURFACES AND WATCH CRYSTALS.

## PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS --- CAUTION --- HARMFUL IF SWALLOWED

Do not apply to eyes and mouth. May cause eye injury. Do not spray directly on face. Do not apply to hands of young children. Do not apply to severely sunburned or otherwise damaged skin.

PRACTICAL TREATMENT: Use of this product may cause skin reactions in rare cases. If so, wash treated skin, call your local Poison Control Center. If in eyes, flush with plenty of water. If irritation persists, get medical attention. If swallowed, contact a Poison Control Center.

DISPOSAL: Do not reuse container. Wrap container and put in trash collection.

Manufactured by Wisco....in Pharmacal Company, Inc. Jackson, WI 53037 MADE IN THE U.S.A.

EPA REG. NO. 305-30 EPA EST. NO. 305-WI-1



Under the Foderal Insecticide, Fungicide, and Fodenticide Act as amended, for the pesticide registered under EPA Reg. No. 205-30



DIRECTIONS FOR USE: It is a violation of Federal law to use this product is a manual inconsistent with its labeling Read all directions believe using this product. Apply over all exposed skin to repeal masculates, idea, and labing files. To apply to face and need, disparate on pairs and nab an. Do not upray in enclosed areas for chappers, licks and files, apply its succe, hope of interest and around other openings in outer chabing. Use just enough repetient to some approach skin and chabing. Do not us under chabing Avoid overaxpoostre. Frequent reapplication and saturation as unrecessary for affect learners. After nauring indoors, weak toward skin and chabing with some and water. Do not upply its synthetic taking hay be used on oction and wool MAY DAMAGE RUPHITURE FRESHES, LEATHERS, PLASTICS, PANTED SURFACES AND WATCH CRYSTALS. PRECAUTIONARY STATEMENTS

LEATHERS, PLASTES, PAUTED SURFACES AND WATCH CRYSTALS, PRECAUTIONARY STATEMENTS HAZANOS TO HUMANS - CAUTION - MANAFUL & FOMILISWED Do not apply to nyes and mouth. May cause eys injery. Do not epray directly on face. Do not apply to hands of young children. On not epray directly on face. Do not apply to hands of young children. On not epray directly on face. Do not apply to hands of young children. On not epray directly on face. Do not apply to hands of young children. On not epray directly on face. Do not apply to hands of young children. On not epray provide the submission of orcharise damaged dam. PRACTICAL TREATMENT: Use of this product may cause skin reactional in rare cause. If so, which have of white. If initiation pervests, per medical attention. If availowed, contact a Peison Control Center, DEPOSAL: Do not invise container. Wrap container and put in trave



Effective, Long Looking Insuct Protection

ACTIVE INGREDIENTS; If, II-diothyl-moto-tobuomide Other inomase 15%. 5%

CAUTION REEP OUT OF REACH OF CHILDREN See Presentions on Deck Punel EPA NEG. NO. 305-30 EPA EST. NO. 305-W1-1 Minufactured by Wisconain Pharmacal Company, Inc. Jackson, WI 53037 NET CONTENTS 1 R. OZ. (30ml)

