

ACCEPTED

21 MAY 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. **305-32**

BEST AVAILABLE COPY

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions before using this product. Hold container 6 to 8 inches from skin or clothing and spray with a slow sweeping motion. Do not spray in enclosed areas. To apply to face, spray palm of hand and spread on face and neck. Do not spray directly on face. **DO NOT APPLY TO EYES AND MOUTH.** Do not apply to hands of young children. Use just enough repellent to cover exposed skin and clothing. Do not use under clothing. Avoid overexposure. Frequent reapplication is unnecessary for effectiveness. After returning indoors, wash treated skin with soap and water. Wash treated clothing. Do not apply to synthetic fabrics other than nylon. Will not damage cotton, wool and rayon. **MAY DAMAGE FURNITURE FINISHES, PLASTICS, PAINTED SURFACES AND WATCH CRYSTALS.**

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS - CAUTION: Harmful if swallowed. Do not apply to eyes and nose. Use of this product may cause skin reactions in sensitive individuals. If you suspect that you or your child is reacting to this product, wash treated skin and call your local Poison Control Center. Do not apply to severely sunburned or otherwise damaged skin.

PRACTICAL TREATMENT: If in eyes, flush with plenty of water. If irritation persists, get medical attention. If swallowed, contact a Poison Control Center.

PHYSICAL & CHEMICAL HAZARDS - FLAMMABLE: Contents under pressure. Keep away from heat, sparks and open flames. Do not puncture or incinerate containers. Exposure to temperatures above 130°F may cause bursting.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

bold type
REPEL 

**INSECT REPELLENT
UNSCENTED**

SPORTSMEN FORMULA

Effective, Long Lasting Protection

ACTIVE INGREDIENTS	
DEET (diethyl meta toluidamide)	38%
ChelIsomers	27%
INERT INGREDIENTS	35%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Precautions on Back Panel

NET WEIGHT 1.1 OZ. MADE IN THE U.S.A.
Mfg. by Wisconsin Pharmaceutical Co., Inc., Jackson WI 53007
EPA REG. NO. 305-32 EPA EST. NO. 3067-WI-2

REPELS TICKS
AND MOSQUITOES



REPEL®

INSECT REPELLENT
UNSCENTED

BEST AVAILABLE COPY

REPEL® SPORTSMEN FORMULA™ INSECT REPELLENT

Up to 6 hours of effective protection from mosquitoes, black flies, ticks, gnats, chiggers, no-see-ums, sand flies, deer flies, fleas and other biting insects. REPEL® Sportsmen Formula™ is non-greasy and resists perspiration.

REPEL® Sportsmen Formula™ is developed especially for campers, backpackers, fishermen, hunters, golfers, hikers, boaters, joggers, ball players and active outdoors men and women.

SPORTSMEN FORMULA™

Effective, Long Lasting Protection

ACCEPTED

21 MAY 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 305-32

CAUTION

KEEP OUT OF REACH OF CHILDREN
See Precautions on Back Panel

ACTIVE INGREDIENTS: 40%
N, N diethyl-meta toluidide 38%
Other Isomers 2%
INERT INGREDIENTS 60%

NET WT. 6.5 OZ.

SPORTSMEN FORMULA™

DIRECTIONS FOR USE: It is a violation of Federal law to use this product inconsistent with its labeling.

Read all directions before using this product.

Hold canister 6 to 8 inches from skin or clothing and spray with a slow sweeping motion. Do not spray in enclosed areas. To apply to face, spray palm of hand and spread on face and neck. Do not spray directly on face. **DO NOT APPLY TO EYES AND MOUTH.** Do not apply to heads of young children. Use just enough repellent to cover exposed skin and clothing. Do not use under clothing. Avoid overexposure. Frequent reapplication and saturation is unnecessary for effectiveness. After returning indoors, wash treated skin with soap and water. Wash treated clothing.

WORKS ON CLOTHING TOO: Spray shirts, socks, and hats for ticks and chiggers, spray pants cuffs, socks and around openings in outer clothing. Do not apply to synthetic fabrics other than nylon. Will not damage cotton, wool and nylon. **MAY DAMAGE FURNITURE FINISHES, PLASTICS, PAINTED SURFACES, AND WATCH CRYSTALS.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS — CAUTION: Irritant if swallowed. Do not apply to eyes and lips. Use of this product may cause skin reactions in rare cases. If you suspect that you or your child is reacting to this product, wash treated skin and call your local Poison Control Center. Do not apply to severely sunburned or otherwise damaged skin.

PRACTICAL TREATMENT: If in eyes, flush with plenty of water. If irritation persists, get medical attention. If swallowed, contact a Poison Control Center.

PHYSICAL & CHEMICAL HAZARDS — FLAMMABLE: Contents under pressure. Keep away from heat, sparks and open flames. Do not puncture or incinerate containers. Exposure to temperatures above 130°F may cause bursting.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

Manufactured for
Wisconsin Chemical Company, Inc.
Jackson, WI 53017
MADE IN THE U.S.A.

EPA REG. NO. 305 32
EPA EST. NO. 3657-WI 2

232965

REPEL®

**INSECT REPELLENT
UNSCENTED**

ECONOMY SIZE
12 OZ. (340 grams)

BEST AVAILABLE

REPEL® SPORTSMEN FORMULA™ INSECT REPELLENT

Up to 6 hours of effective protection from mosquitoes, black flies, ticks, gnats, chiggers, no-see-ums, sand flies, deer flies, fleas and other biting insects. REPEL Sportsmen Formula™ is non-greasy and resists perspiration.

REPEL Sportsmen Formula™ is developed especially for campers, backpackers, fishermen, hunters, golfers, bikers, boaters, hikers, joggers, ball players and active outdoors men and women.

SPORTSMEN FORMULA™

Effective, Long Lasting Protection

ACCEPTED
21 MAY 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 345-32

CAUTION

KEEP OUT OF REACH OF CHILDREN
See Precautions on Back Panel

ACTIVE INGREDIENTS	40%
<i>N, N</i> Diethyl <i>m</i> -ta-toluamide	38%
Other Isomers	2%
INERT INGREDIENTS	60%

NET WT. 12 OZ.

SPORTSMEN FORMULA™

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all directions before using this product.

Hold container 6 to 8 inches from skin or clothing and spray with a slow sweeping motion. Do not spray in enclosed areas. To apply to face, spray palm of hand and spread on face and neck. Do not spray directly on face. **DO NOT APPLY TO EYES AND MOUTH.** Do not apply to hands of young children. Use just enough repellent to cover exposed skin and clothing. Do not use under clothing. Avoid overexposure. Frequent reapplication and saturation is unnecessary for effectiveness. After returning indoors, wash treated skin with soap and water. Wash treated clothing.


WORKS ON CLOTHING TOO: Spray shirts, socks, and hats. For ticks and chiggers, spray pants cuffs, socks and around openings in outer clothing. Do not apply to synthetic fabrics other than nylon. Will not damage cotton, wool and nylon. **MAY DAMAGE FURNITURE FINISHES, PLASTICS, PAINTED SURFACES, AND WATCH CRYSTALS.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS — CAUTION: Harmful if swallowed. Do not apply to eyes and lips. Use of this product may cause skin reactions in rare cases. If you suspect that you or your child is reacting to this product, wash treated skin and call your local Poison Control Center. Do not apply to severely sunburned or otherwise damaged skin.

PRACTICAL TREATMENT: If in eyes, flush with plenty of water. If irritation persists, get medical attention. If swallowed, contact a Poison Control Center.

PHYSICAL & CHEMICAL HAZARDS — FLAMMABLE: Contents under pressure. Keep away from heat, sparks and open flames. Do not puncture or incinerate containers. Exposure to temperatures above 130 F may cause bursting. **DISPOSAL:** Do not reuse empty container. Wrap container and put in trash collection.



Manufactured for
Wisconsin Pharmaceutical Company, Inc.
Jackson, WI 53037

MADE IN THE U.S.A.

EPA REG. NO. 305-32
EPA EST. NO. 3657-WI-2

233912