

PM 34

305-37

4/22/98

1/3

Fold Out
Label attached to bottle
Top Panel

Emergency Drinking Water Germicidal Tablets

POTABLE AQUA

Active Ingredient
Tetraglycine Hydroperiodide 16.7%
Inert Ingredients 83.3%
Each Tablet Contains: 6.68% Titratable Iodine

WARNING: KEEP OUT OF THE REACH OF CHILDREN

See First Aid and other precautions on inside label.

50 Tablets (For Solution)
Tablets not to be swallowed.

EPA Reg. No. 305-37

EPA Est. No. 305-W1-1

Middle Panel

POTABLE AQUA is for use only when water is of questionable quality or known to be substandard. Not to be used on a continuous basis. This product has not been show to inactivate Cryptosporidium cysts. For short term or limited emergency use only.

WARNING: Tablets may be harmful if swallowed. Avoid eye contact. Will cause severe irritation to eyes and mucous membranes. Avoid contamination of food. Wash after handling.

FIRST AID: If tablet is swallowed, drink freely a thin paste of starch or flour (2 tablespoons in water), or drink a sodium thiosulfate solution (Approx. 1/2 teaspoon in water). In case of contact with eyes, flush thoroughly with water. Call a physician.

DISPOSAL: Do not reuse this bottle. Wrap and discard in safe place.

RECAP BOTTLE TIGHTLY
KEEP TABLETS DRY

Net Contents
0.21 oz. (6g) 50 Tablets

Bottom Panel

POTABLE AQUA



DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Add 2 tablets to 1 quart or liter of water and cap loosely to allow a small amount of leakage. Wait 5 minutes. Shake container to allow screw threads on the closure to be moistened, then tighten cap. Wait 30 minutes before drinking.

WARNING: See precautions on inside label.

WISCONSIN PHARMACAL CO., INC.
Jackson, WI 53037



2/3

E.P.A. Reg. No. 305-37
E.P.A. Est. No. 305-WI-1

POTABLE AQUA®
POTABLE AQUA® With P.A. Plus
POTABLE AQUA® With P.A. Plus Water Purification Kit

Emergency Drinking Water
2 STEP TREATMENT

GENERAL INFORMATION

POTABLE AQUA® Drinking Water Germicidal Tablets are intended for emergency disinfection of drinking water. When used as directed, they make water bacteriologically suitable for drinking. Used worldwide by campers, hikers, militaries, emergency organizations, and anyone needing to drink water of questionable bacteriological quality.

For use only when water is of questionable quality or known to be substandard. Not to be used on a continuous basis. This product has not been tested for effectiveness at inactivating Cryptosporidium cysts. For short term or limited emergency use only.

Potable Aqua is for use only when fresh drinking water is suspected or known to be bacteriologically substandard.


P.A. Plus are neutralizing tablets for use after water has been treated with POTABLE AQUA.

P.A. Plus neutralizes the iodine after-taste and color.

IMPORTANT INFORMATION ON POTABLE AQUA

Keep cap on bottle tightly sealed. Humidity, moisture and exposure to air will reduce effectiveness of tablets. We recommend that you do not keep an opened bottle for more than one year. Unopened bottles should remain effective up to four years.

- Effective against water of questionable bacterial quality.
- Effective against cyst such as Giardia lamblia and bacteria such as Vibrio cholera.
- Potable Aqua has been proven effective against Giardia lamblia and Vibrio cholera when used as directed.
- Potable Aqua water purification tablets.
- Iodine-based compound (no chlorine).
- 2 tablets of POTABLE AQUA makes 1 quart of most water bacteriologically suitable to drink.
- Uniform dosage per tablet assured - no guess work.
- No unpleasant taste
- Easy to use
- Treats up to 25 quarts
- A must for first-aid and survival kits
- Ideal for emergency use at home
- Use in emergency drinking water situations.
- Makes questionable water bacteriologically suitable to drink.



WARNING: POTABLE AQUA tablets may be harmful if swallowed. Avoid eye contact. Will cause severe irritation to eyes and mucous membranes. Avoid contamination of food. Wash after handling. **FIRST AID:** If POTABLE AQUA tablet is swallowed, drink freely a thin paste of starch or flour (2 tablespoons in water), or drink a sodium thiosulfate solution (approx. 1/2 teaspoon in water). In case of contact with eyes, flush thoroughly with water. Call a physician.

DIRECTIONS: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Step 1: Add 2 tablets of POTABLE AQUA to 1 quart or liter of water and cap loosely to allow a small amount of leakage. Wait 5 minutes. Shake container to allow screw threads on the closure to be moistened, then tighten cap. Wait 30 minutes before drinking.

Step 2: P.A. Plus neutralizing tablets are for use AFTER water has been treated with POTABLE AQUA. Wait a minimum of 30 minutes after the addition of POTABLE AQUA before using the P.A. Plus tablets. Adding the P.A. Plus tablet before 30 minutes may allow harmful bacteria or viruses to remain in the drinking water. **DO NOT ADD POTABLE AQUA AND P.A. Plus TABLETS AT THE SAME TIME.**

Add 2 tablets of P.A. Plus per quart of water. Shake container well. Wait 3 minutes before drinking. Tablet does not have to completely dissolve to be effective.

Recap bottles tightly. Keep tablets dry.

DISPOSAL: Do not reuse Potable Aqua bottles. Wrap and discard in safe place.

POTABLE AQUA® Net Contents 0.21 oz. (50 Tablets)
P.A. Plus Net Contents 50 Tablets

WISCONSIN PHARMACAL CO., INC., Jackson, WI 53037
Made in USA

P.A. plus information and directions will not be on the POTABLE AQUA only card

- Optional marketing claims.

