

305-60

2/28/2002

1/5

Ms. Jean Killoren
Wisconsin Pharmacal Company
1 Repel Road
Jackson, WI 53037

FEB 28 2002

Dear Ms. Killoren:

Subject: Label Amendment - PR Notice 2001-1 and 2001-6
Repel Permanone RTU
EPA Registration Number 305-60
Your submission dated February 21, 2002

The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- a. Revise the second statement under Environmental Hazards to read "Do not apply directly to water."

3. Submit three (3) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager 13
Insecticide/Rodenticide Branch
Registration Division (7505C)

MASTER LABEL

Repel® Permanone® RTU

Alternate Name:
Repel Permanone Permethrin Trigger Spray

- ❖ General Purpose Aqueous Insecticide
- ❖ For Domestic Use both Indoors and Outdoors.
- ❖ A Ready-To Use Permanone Stable Emulsion Insecticide
- ❖ Ready-To Use Pump Spray
- ❖ Insect Repellent for Clothing
- ❖ For Treatment of Dog Bedding
- ❖ For Treatment of Nets, Tents, Sleeping Bags and Backpacks
- ❖ Controls Fleas and Ticks
- ❖ Repels and Kills Mosquitoes, Ticks, Chiggers and Mites
- ❖ Repels and Kills Ticks which May Carry Lyme Disease and Rocky Mountain Spotted Fever
- ❖ Provides Long-Lasting Protection 1 Treatment [on clothing] Lasts 2 Weeks
- ❖ Unscented Two-week Protection Repel and Kills Mosquitoes, Ticks and Mites
- ❖ CLOTHING & GEAR INSECT REPELLENT - DO NOT APPLY TO SKIN
- ❖ CLOTHING TREATMENT ONLY - DO NOT APPLY TO SKIN
- ❖ 3 ounces will treat one complete outfit
- ❖ For Control of Fleas, Brown Dog Ticks and Lice [on Premises] [on Dogs]
- ❖ For Control of Ticks which may cause Lyme disease
- ❖ Controls Fleas and Ticks on Dogs for 14 Days
- ❖ Provides 60-day [Two Months] Control of Cockroaches.
- ❖ Provides 60-day [Two Months] Control of Fleas on surfaces.
- ❖ Provides 60-day [Two Months] control of Stored Product Pests.
- ❖ For Control of Garden Insects on Ornamental plants.

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION: Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use directly on humans. Do not allow contact with treated surfaces until spray has dried.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment wash waters.

FIRST AID

IF SWALLOWED:

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing.

IF ON SKIN:

- Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for precautions.

ACTIVE INGREDIENT:

*Permethrin0.5%

OTHER INGREDIENTS:99.5%

*Cis/Trans ratio: Min. 35% (+) cis and max. 65% (+) trans.

Net Contents: oz. (ml)

EPA Reg. No. 305-60

Made in the USA by:
WPC Brands, Inc.
Jackson, WI 53037

EPA Est. No. 305-WI-12

1-800-558-6614

www.wpcbrands.com

DISPOSAL

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP [www.cleanup.org] for disposal instructions. Never place unused product down any indoor or outdoor drain.

Permanone is a registered trademark the Aventis Group.
Repel is a registered trademark of WPC Brands, Inc.

RECEIVED
FEB 28 2002
Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under EPA Reg. No. 305-60

Buyer assumes all responsibilities for safety and use, not in strict accordance with directions.

READ ENTIRE LABEL BEFORE EACH USE

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

(One or more of the following directions must be on the label. Directions must be in agreement with the marketing claims.)

• GENERAL CLOTHING INSTRUCTIONS:

This product should not be applied to clothing while it is being worn. Under no circumstances should bare skin or clothing on the body be treated.

For protection against ticks (including those, which may carry Lyme disease), chiggers and mosquitoes, apply product as directed below. For further protection, use in conjunction with an insect repellent registered for direct application to the skin and utilize the following primary preventive measures. Avoid walking in areas where the pests are found, wear appropriate protective clothing (light-colored, long-sleeved shirt and long pants tucked into socks) and inspect body daily for ticks. Pant cuffs should be worn inside the socks or footwear to ensure full protection against ticks and chiggers.

INITIAL TREATMENT INSTRUCTIONS:

A test application should be made to fabric in an inconspicuous place [area] before use.

1. Select a well-ventilated outdoor area protected from wind and lay out [or hang] the clothing to be treated (as complete outfit; shirt, pants [trousers] and socks).
2. Hold container about 6-8 inches from surface of the clothing and spray to lightly moisten the entire surface of the fabric.
3. Continue spraying over entire outfit, until the outer surface of the fabric is moist enough to cause a slight color change or darkening. Pay special attention to socks, pant [trouser] cuffs and shirt cuffs.
4. Turn the clothing over and treat the other side as described in Steps 2 & 3.
5. Hang the treated clothing and allow to dry for at least 2 hours (4 hours under humid conditions) before wearing.
6. Three ounces will treat one complete [an average] outfit.

INITIAL TREATMENT INSTRUCTIONS ON NETS, TENTS, SLEEPING BAGS AND BACKPACKS:

Do not treat inside of sleeping bag. Spray exterior surfaces of tent only.

Select a well-ventilated outdoor area protected from wind and lay out [or hang] article to be treated. Hold container upright about 6 -8 inches from surface of the article and spray to lightly moisten the surface of the fabric. Continue spraying over entire article, until the outer surface of the article is moist enough to cause a light color change or darkening. Turn the article over and treat the other side as described above. Hang the treated article and allow to dry for at least 2 hours (4 hours under humid conditions) before using.

RETREATMENT INSTRUCTIONS:

This product contains an active ingredient, which actually binds to the fabric being treated, providing residual protection, which lasts a minimum of two weeks, and holds up through several machine washing. **DO NOT RETREAT CLOTHING (OR ARTICLES) MORE THAN ONCE EVERY TWO WEEKS. LAUNDRER CLOTHING AT LEAST ONCE BEFORE RETREATING.** For retreatment, follow instructions for initial treatment.

• DOG, DOG BEDDING AND PREMISES

On Dogs: To control Fleas, Ticks and Lice: Start spraying at the tail, make sure that the animal's entire body is covered, including the legs and under body. While spraying, fluff the hair so the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into eyes or face. Avoid contact with genitalia. Use protective gloves or mitts when applying product. Repeat application every two weeks if necessary. **DO NOT USE ON CATS OR KITTENS.** Do not use on dogs under twelve (12) weeks old. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide products for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amount of water. If signs continue, consult a veterinarian immediately.

To control fleas and ticks on pet bedding, premises and upholstered furniture.

Fleas and Ticks (Adults and Larvae): Thoroughly clean or launder pet bedding before treatment. Spray bedding, sleeping quarters, floor covering and floors, paying special attention to cracks and crevices.

Upholstered furniture may also be treated to control fleas and ticks in these areas. A test application should be made to upholstery in an inconspicuous place before use. Spray upholstery paying particular attention to tufts and seams. Allow to dry before reuse.

• **OUTDOOR APPLICATION**

To control ticks (including ticks which may carry Lyme Disease) [Ticks including the **Deer Tick (Ixodes scapularis)**, **Lone Star Tick (Amblyomma americanum)**, **Brown Dog Tick (Rhipicephalus sanguineus)**, **American Dog Tick (Dermacentor variabilis)** and **Western Black-legged Tick (Ixodes pacificus)**], mosquitoes, chiggers and mites [Perimeter Treatment]:

Use Repel Permanone RTU as a residual treatment. For each areas listed below, apply until surface is wet (approximately 1 gal/750-1000 ft²).

Treat around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces where these pests may enter.

Treat a band of vegetation and leaf litter 6 to 10 feet wide around the outside of building to help control ticks [pest] from occurring there.

To help control ticks [pest] in outdoor activity areas, treat a band of vegetation and leaf litter 6-10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

• **INDOOR APPLICATION**

For spot application only. Do not use as a space spray indoors. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed. Do not use in commercial food/feed handling establishments, restaurants or other establishments where food/feed is commercial prepared or processed.

For protection against ticks, chiggers, fleas and mosquitoes: Spray around windows, doors, porches, patios, and screens until surface area is damp.

SURFACE SPRAYING:

For 60-day [Two months] control of **Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Meal Worms, Grain Mites and Cadelles:** Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For **silverfish**, spray bookcases. For **ants**, spray trails nests and points of entry.

To control **Carpet Beetles:** Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

To control **Bedbugs:**

Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints.

Treat baseboards, molding and floors. Repeat treatment as needed.

To control **Fleas (adults and larvae) and Ticks**, including Ticks which may carry Lyme disease (adults and larvae): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treated areas.

To control **Clothes Moths:**

Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly. A test application should be made to fabric in an inconspicuous place before use.

To kill **Lice and Louse Eggs:**

NOT FOR USE ON HUMAN HAIR. Spray fabric in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry-cleaned. Allow all treated articles to dry thoroughly before use.

• **FOR CONTROL OF GARDEN INSECTS ON ORNAMENTAL PLANTS:**

For use on roses, dahlias, asters and other ornamentals to kill **Japanese Beetles** hit by sprays well as **Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers**. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, eunonymus, fuschia, geraniums, crassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, rose, rubberplants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against **Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms**.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90 F. Contact insects directly whenever possible. Repeat treatment as infestation occur.

Not for use on plants grown for sale or other commercial or research purposes. Not for use in commercial greenhouses.

KEY

All items in boxed areas must be present on the label.

First Aid statements should be in a solid box or presented in an easy to use fashion.
First Aid statements are optional for this product, but are strongly advised to be on the label.

❖ Optional marketing text

[Optional language [text]]

New text 2/20/02