

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Avenue N.W. Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

322-1

JUN 16 20014

Term of Issuance:

Reregistration

Name of Pesticide Product:

FORT DODGE GOPHER **BAIT**

NOTICE OF PESTICIDE:

Registration X Reregistration (under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

CERTIFIED MAIL

Mr. Brent Hazen, President Fort Dodge Chemical Company P.O. Box 2021 Lompoc, CA 93438

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commence. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby reregistered under the Federal Insecticide, Pungicide and Rodenticide Act.

Registration and reregistration are in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Reregistration is subject to the terms and conditions indicated in this letter.

Continued on page 2

Meudits

Signature of Approving Official:

Date: JUN 1 6 2004

EPA Form 8570-6

When labels are printed, make sure that the entire last sentence of the "DIRECTIONS FOR BURROW BUILDER" paragraph is legible on printed labels. On the proposed revised labels submitted on July 21, 2003, that sentence was partially obscured by the diagram below it. The sentence must read as shown below.

One to three pounds of bait will treat one acre by the burrow-builder method.

The label change prescribed above must be incorporated onto the final printed label for this product. Submit one copy of the final printed label before releasing this product for shipment.

The Confidential Statement of Formula dated "7/21/03" is acceptable and describes the only formulation that may be used for this product.

This product is registered for use only to control pocket gophers of the Genera Geomys and Thomomys. Collectively, these organisms are reported to occur in the following States: Alabama, Arizona, Arkansas, California, Colorado, Georgia, Idaho, Illinois, Indiana, Iowa, Kansas, Louisiana, Minnesota, Missouri, Montana, Nebraska, Nevada, New Mexico, North Dakota, Oklahoma, Oregon, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. These are the States where use of this product would be legal (if also registered with the individual States) and, therefore, the only States in which it should be sold.

If these conditions are not met, this registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have questions about this letter, contact Dr. William W. Jacobs by phone (703-305-6406), by FAX (703-305-6596), or by E-Mail (jacobs.bill@epa.gov).

Sincerely,

Meredith Laws, Chief

Muchily

Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure

-- DANGER --

Convulsive poisoni Fatal if swallowed or inhaled. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Do not breathe dust. Do not apply this product in a way that will contact any person or pet. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

*Long-sleeved shirt and long pants:

*cotton gloves; and

*Shoes plus socks.

When loading more than 3 lbs. (1.4kg) of bait into mechanical application equipment and when disposing of nonrigid containers (e.g., bags), handlers must wear:

*Long-sleeved shirt and long pants:

*waterproof gloves:

*shoes plus socks:

*googles or face shield, and

*dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21c), or a NIOSH approved respirator with any N. P. R. or HE filter.

Follow manufacturer's instructions for cleaning and maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. USER SAFETY RECOMMENDATIONS

Users should remove clothing immediately if pesticide gets inside Then, wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of waterproof gloves before removing them. As soon as possible wash thoroughly and change into clean clothing.

This product is toxic to fish, birds, and other wildlife. Do not allow bait to be exposed on soil surface. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

ENDANGERED SPECIES RESTRICTION

NOTICE: The killing of a member of an endangered species during strychnine baiting operations may result in a fine under the Endangered Species Act. Before baiting, the user is ad-vised to contact the Regional U.S. Fish and Wildlife Service (Endangered Species Specialist) or the local Fish and Game Office for specific information on endangered species. Strychnine baits should not be used in the geographic ranges of the following species except under programs and procedures approved by the U.S. EPA; San Joaquin kit fox, Morro Bay kanga-roo rat, Salt Marsh Harvest mouse, gray wolf, and grizzly bear.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children and pets, under lock and key in a posted

storage atea.
PESTICIDE DISPOS AL: Pesticide wastes are acutely hazardous. Imeproper dispesal of excess posticide, skilled bait, or rineate is a violation of Federal Paw. If these wastes calinot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty drum or canister by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of drum or canister in a sanitury andfilt or by kickneration if allowed by State and local authori-

RESTRICTED USE PESTICIDE

DUE TO HAZARD TO NONTARGET ORGANISMS

For retail sale and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator. and only for those uses covered by the Certified Applicator's certification



STRYCHNINE ALKALOID 0.50% INERT INGREDIENTS 98.50%

KEEP OUT OF REACH OF CHILDREN

CALLAPHY DELANGOR CALLACTED MIROL IF AWALLOWED CONTERMINEDATED TO THE WAY TO THE

mave cassed since the it within the taken in one of or 2 glasses. convertee and enduced construe marchines on which of thorest with $(f_{n}(x_{n}), f_{n}(x_{n})) = \frac{1}{2} \sum_{i=1}^{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) \right) + \frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) \right) + \frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) \right) + \frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) \right) + \frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) \right) + \frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) \right) + \frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) + \frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) \right) + \frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) + \frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) + \frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) + \frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) + \frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \left(\frac{1}{n} \right) + \frac{1}{n} \left(\frac{1}{n}$ in different filment i den som kultich es autot (f

Sterning administration of the second aspect, in the medical aftersion. mod evekts / tien and flush with second in the conditional

for 15 minutes. Get medicar attention Have the product consists of the introduction patting provision, in the conenganipo ka troutesta escentra escentra en escentra 200 (200 (200 (200 escentra escentra)))

- Augustus Med JOSP4 (1999年) - 1999年 (1997年) - 1997年 (1997年) - 1997年 (1997年) - 1997年 (1997年) - 1997年 (1997年) ewohange as neareth large in

niny vinečetne v švavovi.

FORT DODGE CHEMICAL, CO.

P O BOX 2021 - LOMPOC CA 93438 - 805-736-0065

EPA EST. NO. 322-CA-01

EPA REG. NO. 322-1

NET WT. 25 LBS

RED 2002

DESSIBALED.

DIRECTIONS FOR USE POCKET GOPHERS

FOR USE IN SUBSOIL ONLY

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: This product may only be used to control pocket gophers (Thomomys spp. and Geomys spp.) in subsoil applications (only) in rangeland, pastures, cropland, and nonagricultural areas. This product may be applied by use of tractor-operated mechanical burrow builders, by probe-assisted manual applications, or by use of manually operated bait-dispensing probes such as the Gopher Bait Dispenser. Bait must be deposited directly into pocket gophers' natural patherround runways or into artificial underground tunnels made w target builders. Do not broadcast balt over crops grown for upon set feed, or any other purpose. Do not apply this product that will contact workers, other persons, or domestic turnals. Keep pets and other people out of the area during application.

DIRECTIONS FOR MANUAL BAITING

LOCATING RUNWAYS: To locate a gopher's natural runway probe about 6° to 8° from an active mound, beginning on the flat side of the horseshoe-shaped depression. Using an iron bar, a strong stick, a bait-dispensing probe, or other suitable implement, probe 8° to 10° below soil level. Soil resistance on the probe will decrease when runway is entered.



HAND APPLICATION: Once the runway is located, enlarge probe hole (if necessary) to accommodate beiting. Drop a teaspoonful of beit through probe opening, taking care not to spill bait on the surface. Pick up any spilled bait immediately. Make 2-7 beit sets per burrow system, depending on the system's apparent length. Close probe holes as indicated below.

BAIT-DISPENSING PROBE APPLICATION: Read manufacturer's instructions for the equipment selected for use. Determine how to calibrate equipment or otherwise ensure that each bait placement will be approximately one teaspoonful. Locate the main underground runway through probing, as indicated under LOCATING RUINWAYS: When probe is in the main runway, operate the dispenser to release balt into tunnel. Pickup or buty any spilled beit immediately. Make 2 to 7 beit sets per burrow system, depending upon the system's apparent length. Close probe holes as indicated below.

CLOSING PROBE HOLES: After bait placement has been made, cover opening with sod or dirt to close hole and exclude light. Do not permit dirt to sit in and

TREATMENT RATE: Depending upon pocket gopher population levels, one pound of bait applied manually will treat one to eight acres. DIRECTIONS FOR BURROW BUILDER

Витоw builders construct artificial underground tunnels and automatically place bait in them in a single operation. A coulter disc opens the way for a subsciler shank. At the bottom of the shank is a pointed tube or "torpedo". The torpedo creates the artificial burrow. Bait is dropped in preset quantities through an outlet in the rear underside of the torpedo. Close-set rubber tires behind the subsoiler shank close the cut above the burrow. Consult manufacturer's directions for the specific equipment to be used. Adjust the torpedo to the depth of pocket gopher runways. Make sure that soil is damp enough to hold formed tunnels. Cut artificial burrows at 20 to 25 foot intervals. Offent artificial burrows to intercept gophers' natural underground runways. Pick up or bury any spilled bait. ider method.

One to three :-A CONTRACTOR OF THE PARTY AND ADDRESS OF THE P

Treatment indicated by dotted lines.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling that is contrary to label instructions.