

### DIRECTIONS

For control of screw-worms on work stock (horses and mules). Swab the smear into the wound, swabbing it well into all pockets of the wound; also paint an area around the wound. For uninfected wounds, such as shear cuts and wire cuts, cover the raw tissue and surround area with a liberal amount of the smear. After castration cuts, apply smear into opening of scrotum and surrounding area. Apply with a small brush. Repeat treatment twice weekly until wound heals.

NOTE: Some strains of screw worms may develop resistance to the medication. This will be observed by lack of response to the treatment.

NOTICE: This product should be applied only for the uses specified in

*Dr. Rogers'*

## SCREW-WORM SMEAR

(Formula Number 62)

### Active Ingredients:

Diphenylamine	35.00%
Benzene	35.00%
Turkey Red Oil	8.00%

### Inert Ingredients:

Water (represented in Turkey Red Oil)	2.00%
Lamp Black	20.00%

Total 100.00%

Prepared by  
TEXAS PHENOTHIAZINE COMPANY  
Fort Worth, Texas 76106

**WARNING:** Keep out of reach of children.

See side panel for additional precautions.

NET WEIGHT 8 OZ. AVOIR

the directions: this product is for use on horses and mules only. Do not use on horses which are to be slaughtered for meat.

WARNING: Do not apply this product to dairy or meat animals. Do not use on dogs, cats, or other household pets. WARNING: Harmful if swallowed. Avoid inhalation of fumes or vapor. Avoid contact with skin and eyes. In case of contact with eyes, flush with plenty of water. Wash with soap and water thoroughly after handling.

Stir or shake before using. May be thinned with benzene if necessary. Keep jar tightly sealed.

WARNING: Flammable  
Keep away from Open Flame.

USDA Reg. No. 327-26

Lot No.

0-15-75