

Dr. Rogers'

DARI-BEEF Cattle Dust

Containing Methoxychlor, Malathion
Piperonyl Butoxide and Pyrethrins

**For use in the control of
Hornflies on Dairy and Beef Cattle.**

Directions

For Dairy Cattle: For use in the control of Hornflies use 2 tablespoons (not more than 2 in.) as follows: lightly rub on neck, head, sides, behind racks and flank. For control of flies, rub dust on body, head, neck, and legs to get beneath the fly. May be used every 1 to 2 weeks if necessary. (Do not use within 5 hours before milking.)

For Beef Cattle: For use in the control of Hornflies use 2 tablespoons (not more than 2 in.) as follows: lightly rub on neck, head, sides, behind racks and flank. For control of flies, rub dust on body, head, neck, and legs to get beneath the fly.

May be used every 1 to 2 weeks if necessary. (Do not use within 5 hours before milking.)

For control of flies, rub dust on body, head, neck, and legs to get beneath the fly.

May be used every 1 to 2 weeks if necessary. (Do not use within 5 hours before milking.)

For control of flies, rub dust on body, head, neck, and legs to get beneath the fly.

NET WEIGHT: 4 LBS.

Active Ingredients:

*Technical Methoxychlor	5.00%
**Malathion	4.00%
***Technical Piperonyl Butoxide	1.00%
Pyrethrins	0.10%
Other Ingredients	89.90%
	100.00%

*Methoxychlor 1 lb. is equivalent to 4.4 lb. of DDT. Malathion 1 lb. is equivalent to 0.5 lb. of DDT. Piperonyl Butoxide 1 lb. is equivalent to 0.5 lb. of DDT.

Pyrethrins 1 lb. is equivalent to 0.1 lb. of DDT.

Equivalent to 1 lb. of DDT. *Equivalent to 1 lb. of DDT.

For control of flies, rub dust on body, head, neck, and legs to get beneath the fly. May be used every 1 to 2 weeks if necessary. (Do not use within 5 hours before milking.)

For control of flies, rub dust on body, head, neck, and legs to get beneath the fly.

For control of flies, rub dust on body, head, neck, and legs to get beneath the fly.

For control of flies, rub dust on body, head, neck, and legs to get beneath the fly.

For control of flies, rub dust on body, head, neck, and legs to get beneath the fly.

For control of flies, rub dust on body, head, neck, and legs to get beneath the fly.

For control of flies, rub dust on body, head, neck, and legs to get beneath the fly.

For control of flies, rub dust on body, head, neck, and legs to get beneath the fly.