

[327-78]



Directions for Use as a Spray:
For Cattle: Ticks, Hornflies, and Lice use at rate of 1 gallon Pro-Tox-M to 100 gallons of water, or 1 pint Pro-Tox-M to 12 1/2 gallons of water. Mix thoroughly. Spray animals all over. Thorough wetting of animals is essential for best results. Repeat as needed for control. For use on Back-Rubbing Devices for the control of Hornflies and an aid in controlling lice on Beef Cattle. Dilute 1 quart Pro-Tox-M with 2 to 4 gallons diesel oil. Repeat application on devices at two to three week intervals or as needed.

Do not permit animals access to backrubber 28 days prior to slaughter.

For Sheep and Goats: Lice and Sheep Ticks (Keds), use at the rate of 1 gallon Pro-Tox-M to 200 gallons of water or 1 pint Pro-Tox-M to 25 gallons of water. Spray animals thoroughly until completely wet. One application will usually give good control of these pests; however repeat treatment as necessary for control. For Fleece Worms and Ticks (Keds): Use Pro-Tox-M at the rate of 1 gallon to 100 gallons of water or 1 pint Pro-Tox-M to 12 1/2 gallons of water. Wet sheep thoroughly with spray. Repeat as needed for control.

For Residual Surface Spray: Flies and Mosquitoes: Use Pro-Tox-M at the rate of 1 gallon to 20 gallons of water or 1 quart to 5 gallons of water. Spray surfaces to be treated until thoroughly wet, but not to the point of excessive run off. Spray outside walls of dairy barns, fences, inside hog pens, and garbage cans. Repeat as needed for control. Do not use in poultry houses.

WARNING: Do not use on young calves under 4 months of age nor other young animals nor on sick or emaciated animals. Do not use on dogs. Give animals access to shade after spraying in warm weather.

PRO-BRAND PRO-TOX-M

An Emulsifiable Concentrate
Containing 5% Malathion and
45% Toxaphene

Active Ingredients:	
Toxaphene	45.0%
Technical Chlorinated Camphene (Chlorine Content 67-69%)	
*Malathion	5.00%
Xylene	15.00%
Refined Petroleum Oil	20.00%
Inert Ingredients:	15.00%
Total	100.00%

*0.0 Dimethyl dithiophosphate of diethyl mercaptosuccinate

SOLD BY VETERINARIANS ONLY

WARNING: Keep out of reach of children.

See side panel for additional precautions.

NET CONTENTS: 1 GALLON

Distributed by
PRO-BRAND PRODUCTS COMPANY

Fort Worth, Texas

NOTICE: Do not use this material on dairy animals nor as a spray in dairy barns nor other animals being finished for slaughter. Do not use in milk rooms.

WARNING: May be fatal if swallowed. Harmful vapors. Concentrate, vapor, or spray may be absorbed through skin. Do not get in eyes, on skin or on clothing. May produce irritation of skin and eyes. Respirator or goggles may be used if desired. Do not breathe spray mist and vapors. Wash with soap and water. Avoid contamination of feed and foodstuffs. Keep away from children or pet animals.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in safe place.

WARNING: Toxic to fish and wildlife. Do not contaminate streams, lakes or ponds with spray or washing from spray tanks.

POISON: Internal: Give table salt (sodium chloride) 1 tablespoon in warm water. Repeat until vomit is clear. Call a physician.

Malathion is a cholinesterase inhibitor and can cause toxic symptoms similar to those caused by other organic phosphate compounds but much larger exposures are required. Should poisoning occur, obtain prompt medical aid. Atropine is antidotal.

Note to Physician: Malathion is a cholinesterase inhibitor and treatment of severe poisoning should include the use of Atropine. Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives.

USDA Reg. No. 327-78

6-22-67

ACCEPTED

1 GALLON CONTAINER
FOR FEDERAL POISON REGISTER
ED UNDER NO. 327-78

