



TOX-ENE-V

**For Livestock Spray
Containing Toxaphene and Vapona*
For Lice, Hornflies, Lone Star, Gulf
Coast Ticks on Beef Cattle**

ACTIVE INGREDIENTS	
Toxaphene	35.000%
Technical Chlorinated Diphenyls Chlorine Content 47%	
2,2-dichloroethyl dimethyl phosphorothioate Related compounds	1.395% 0.105%
Xylene	13.900%
Refined Petroleum Oil	37.600%
INERT INGREDIENTS	
	12.000%
Total 100.000%	
*Reg. Trademark of the manufacturer.	

Keep out of reach of children.
See side panel for additional precautions.

Net Contents 1 Gallon Serial

DIRECTIONS FOR USE AS SPRAY:

For Beef Cattle: Hornflies, lice, and ticks (Lone Star and Gulf Coast) use at the rate of 1 gallon TPC TOX-ENE-V to 100 gallons of water or 1 pint to 12 1/2 gallons of water. Mix thoroughly. Spray animals all over. Thorough wetting of animals is essential for best results. Approximately 2 quarts of diluted material should be applied to each fully grown animal and proportionately less for smaller animal.

WARNING: Do not use on young calves under 6 months of age. Do not use on dairy animals unless they are dry and are to be farmed. Do not use on horses, dogs, cats, birds, and house animals. Do not use in areas to shade after 5:00 p.m. or in wet weather. Do not treat sick animals. Do not spray animals with

WARNING: May be fatal if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or clothing. Harmful vapors. Concentrate, vapor, or spray may be absorbed through skin. Wash thoroughly with soap and water after handling materials. Do not breathe spray mist and vapors. Respirator and goggles may be used if desired. Do not contaminate feed or food stuffs. Keep away from children.

POISON: Internal: Give table salt (Sodium Chloride), 1 tablespoon in warm water. Repeat until vomit is clear. Call a physician.

External: Remove clothing. Wash thoroughly with soap and water. Should poisoning occur, obtain prompt medical aid.

Note to Physician: Vapona is a cholinesterase inhibitor and treatment of poisoning should include the use of Atropine. Toxaphene produces central nervous system excitation which responds to the barbitone acid derivatives.

WARNING: Do not use if you are pregnant or nursing. Do not contaminate milk. Do not use on animals with open wounds or milk-producing udders.

Do not use on sheep or goats if you are wearing a hat. Do not use on animals if you are wearing a hat. Do not use on animals if you are wearing a hat.

© 1949 TPC
5-20-49