

[327-139]



ACCEPTED
2-5-73
ORDERED BY
FUNGUS
FOR ERG
F. JUNG

EQU-DUST

Contains Pyrethrins and Rotenone
For
Lice On Horses

Active Ingredients:	
Rotenone	1.000%
Other Cube Resins	1.750%
Pyrethrins	0.025%
Piperonyl Butoxide, Technical*	0.250%
Inert Ingredients	96.975%
Total	100.000%

*Equivalent to 0.20% (butylcarbityl) (6-propylpiperonyl) ether and 0.05% related compounds.

CAUTION: Keep Out of Reach of Children
See side panel for additional precautions

NET WEIGHT 7 OUNCES (AVOIR.)

DIRECTIONS: To control biting lice and sucking lice on horses, remove cap and dust directly to all parts of animals body. Brush well into the hair. Pay particular attention to the neck, mane, tail, flanks and places where hair is long. Repeat application after two to three weeks if necessary. Apply to animals quarters and bedding to aid in prevention of reinfestation.

CAUTION: Harmful if swallowed. Keep out of reach of children. Do not inhale dust. Avoid contact with eyes. Do not use on horses intended for slaughter.

This product is toxic to fish. Do not contaminate streams, lakes or ponds with this product or by disposal of waste.

Do not reuse empty container. Destroy by punching holes in it and discarding in a safe place.

E.P.A Reg. No. 327-139

Lot No.