

General Weed Control: In vacant lots, on roadsides and along fence rows, use enough spray to wet all foliage. 2 gallons in 100 gallons of water will control most young weeds; however, 3 gallons may be necessary for more resistant weeds. Deep-rooted perennial weeds, such as bindweed and Canada thistle, may require repeated applications as new growth appears.

Turf Weed Control: For lawns, pastures and other turf areas, use 1 to 2 gallons per acre. Warning: Do not use on lawns of creeping grasses, such as bent, except for spot spraying, nor on freshly seeded turf until grass has become well established. Most legumes are usually damaged or killed. Do not graze treated areas by dairy animals within 7 days after application.

For Treating Small Areas: 4 tablespoonfuls in 1-1/2 gallons of water are about equal to one gallon in 100 gallons.

Spot Treatment: For knapsack application of such weeds as thistles, mix 2 cups in 3 gallons of water. Wet all foliage thoroughly.

Soil Treatment for Perennial Weed Control: For certain undesirable deep rooted perennial weeds, including leafy spurge, Russian knapweed, hoary cress and swamp smartweed (tanweed) in non-crop lands, use 32 to 40 gallons of WEEDEX per acre. Wet all foliage thoroughly. Apply in late fall as recommended by the manufacturer. Where annual rainfall is less than six inches, irrigation after spraying may give better results. Note: This treatment will temporarily inhibit seed germination and plant growth. The effect lasts longer in areas of limited rainfall. Wait one year after treatment before planting to crops.

NET CONTENTS _____ GAL.

66-620

ACCEPTED
 NOV 21 1967
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 134-21 SUBJECT
 TO ATTACHED COMMENTS.

2,4-D

SELECTIVE

WEED KILLER

ACTIVE INGREDIENTS:

Alkanolamine Salts (of the Ethanol and Isopropanol series) of 2,4-

Dichlorophenoxyacetic Acid 16.4%
 2,4- Dichlorophenoxyacetic Acid Equivalent 10.00%

INERT INGREDIENTS: 83.6%

Agricultural Experiment Station or Extension Service weed Specialists.

CAUTION

KEEP OUT OF REACH OF CHILDREN
 Read complete precautions on rear panel.
 Do not reuse empty container.
 Destroy by burying in a safe place.

MFD. BY
 HYSAN PRODUCTS COMPANY
 CHICAGO, ILL.

bitter sneezeweed
bitterweed
broomweed
burdock
cocklebur
coffeeweed (Sesbania)
common evening
primrose
common ragweed

dandelion
docks
fanweed
jimsonweed
kochia
lambsquarters
mustards
peppergrass
pigweed

prickly lettuce
Russian thistle
shepherdspurse
sunflower
vetch
wild radish
wild carrot

CAN BE USED ON THE FOLLOWING AREAS:

golf courses
lawns
parks
playgrounds

other recreational areas
air-fields
along highways
around farm buildings

ditch banks
pasture lands
railroad right-of-ways

USE PRECAUTIONS

Do not apply this weed killer directly to, or otherwise permit it to come into contact with vegetables, flowers, grapes, fruit trees, ornamentals, cotton, or other desirable plants which are sensitive to 2,4-D and similar materials, and do not permit spray mist containing it to drift onto them, since even minute quantities of the spray may cause severe injury during both growing and dormant periods. (Coarse sprays are less likely to drift.) Accordingly, applications by airplane, ground rigs and hand dispensers should be carried out only when there is no hazard from drift.

Do not contaminate irrigation ditches, or water used for domestic purposes. Do not store near fertilizers, seeds, insecticides or fungicides. Excessive amounts of 2,4-Dichlorophenoxyacetic acid in the soil may temporarily inhibit seed germination or plant growth. To avoid injury to desirable plants, do not store, handle or apply other agricultural chemicals with the same containers or equipment used for this product.

CAUTION: CAUSES IRRITATION OF SKIN AND EYES

Do not get in eyes, on skin, or on clothing.

Keep out of the reach of children.

In case of contact, flush eyes with plenty of water for at least 15 minutes and get medical attention; wash skin with soap and plenty of water.

Remove and wash contaminated clothing before re-use. Do not wear contaminated shoes.