

PM 32

334-132

12.7.90

ACCEPTED

19 OCT 1977

UNDER THE FEDERAL INSECT,
FUNGICIDE AND RODENTICIDE
FOR ECONOMIC POISON REGI-
ED UNDER NO. 137

HY-PINE 7

DISINFECTANT



DIRECTIONS

AS A PREVENTIVE MEASURE AND AID IN DISINFECTING AGAINST STYPPHOSA ON ENVIRONMENTAL SURFACES

FOR GENERAL PREMISE CLEANING AND DISINFECTING: Use one ounce of Disinfectant to one gallon of water. For best results, add the water to the Disinfectant. This solution will aid in disinfecting and deodorizing.

TOILET ROOMS: Use one ounce of Disinfectant to one gallon of water. Wash bathtub, seats, urinals, sinks, floors, and baseboards with the solution at least twice a day.

SCHOOLS, FACTORIES, PUBLIC BUILDINGS: Use a solution of one ounce of disinfectant to one gallon of water for mopping and spraying all rooms, hallways, stairs and lockers.

STEAMSHIPS, AIRSHIPS, TRAILERS, BUSES: With a solution of one ounce of Disinfectant to one gallon of water, scrub floors, wipe seats, woodwork, baths and lavatories. Also clean and disinfect airways and cabins.

GARAGE CANS, REFUSE PANS, CELLARS, BURNISH PILES, OUTDOOR CLOSETS: Thoroughly saturate by spraying or brushing with a solution of one ounce of Disinfectant to one gallon of water. This will aid in repelling and preventing the breeding of flies and check putrefactive odors. Repeat treatment as often as necessary. Rinse the empty pans or containers with some of the solution and leave the wash in the container.

DISPOSAL: Do not reuse empty container. Wrap and put in trash collection.

Active ingredients: ~~2.25%~~
Terpineol 7.25 %, sodium and potassium ortho benzyl parachlorophenolate 7.86 %, ~~2.53%~~
and Pine Oil 2.53 %
Inert ingredients: ~~82.36%~~ 82.36%

**DANGER: KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED**
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS
NET 1 GAL

DANGER: KEEP OUT OF REACH OF CHILDREN

Cerise. Causes skin irritation. Do not get in eyes, on skin or on clothing. Wear shield and rubber gloves when handling. Harmful or fatal if contamination of food.

FIRST AID: In case of contact, immediately flush eyes or water for at least 15 minutes. For eyes, call a physician. Contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, a solution or if these are not available, drink large quantity of alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may cause gastric lavage. Measures against circulatory shock, respiration conversion may be needed.

EPA Reg. No. 334-132 AA

EPA Est. 334-E-1

MFG BY
Pyrin Corp.
917 W. 30th St.
Chicago, Ill. 60607