

DIRECTIONS

For CLEANING and DISINFECTING and DEODORIZING IN ONE OPERATION. Use 6 oz. to 5 gallons of water (75ppm). Clean thoroughly with mop, rag or brush. With porous surfaces and articles difficult to clean use 6 oz. to 2½ gallons of water.

FOR DISINFECTING SURGICAL INSTRUMENTS. Hospital Equipment, Rubber Gloves, Masks, Rubber Sheets, Thermometers, Isolation and Terminal disinfection procedures and catheters use 6 oz. to

5 gallons of water (75 ppm) (after contact) after cleaning in normal manner.

SANITIZING AND DETERGENT SANITIZING

FOR DISHES, GLASSES, UTENSILS, FLOORS, WALLS AND OTHER SURFACES that have been previously cleaned use 2 oz. to each 5 gallons of water (25 ppm). Cover surface thoroughly. For use as detergent-sanitizer, use 6 oz. to 5 gallons of water, in cleaning allow at least two minutes of contact and rinse until foam disappears.

For Garbage Cans, Porous Surfaces for cleaning and sanitizing, use 4 oz. to 5 gallons of water. Clean in usual manner. Rinsing is not required.

For Equipment in Dairies, Breweries, Beverage, and other Food Plants. As a final rinse after cleaning non-porous surfaces use 4 oz. to each 5 gallons of water

RINSE SURFACES THOROUGHLY AND RINSE WITH WATER BEFORE USE.

As a cleaner-sanitizer use 6 oz. to each 5 gallons of water in cleaning. Allow at least two minutes of contact and rinse until foam disappears.

Excellent for use on purifying vats, and tanks, in Fish and Meat Markets. For Veterinary use, in kennels and animal cages, on toilet seats, outdoor closets, refrigerators, and smoking stands.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER BEFORE REUSE.

CLEANS • DISINFECTS • DEODORIZES • SANITIZES

HYODINE

A Fast Killing Concentrated IODINE GERMICIDE

KILLS MOST PATHOGENIC BACTERIA AND AIDS IN REDUCING
THE SPREAD OF GERMS VIA ENVIRONMENTAL SURFACES.

ACTIVE INGREDIENTS

Sonyl Phenoxy Polyethoxyethanol-Iodine Complex	4.375
Isd. Octyl Phenoxy Polyethoxy Ethanol Iodine Complex	5.245
PROVIDING 0.85% TITRATABLE IODINE	
Phosphoric Acid	2.358
Sodium Chloride	2.563
INERT INGREDIENTS	85.479

WARNING: KEEP OUT OF REACH OF CHILDREN
MAY BE HARMFUL IF SWALLOWED.
CAUSES SKIN IRRITATION. MAY
CAUSE EYE DAMAGE

SEE SIDE PANEL FOR FIRST AID AND FURTHER PRECAUTIONS

MANUFACTURED BY
HySant

CORPORATION, CHICAGO, ILLINOIS 60609

DIRECTIONS — (Continued)

It is non-selective and provide greater kill over a wider spectrum than most disinfectants. In solution it is its own indicator of germicidal activity yielding an amber color. As long as amber color remains in solution, complete and rapid germicidal action is assured. When color is gone the solution should be replaced.

Excellent for use even in hard water. It has free rinsing and has good stability. Tested and approved to meet Public Health regulations. Effective and safe to use on dishes, glass-ware, cutlery, eating utensils, floors, walls, toilet seats, bathtubs, laboratories, in schools, restaurants, cafeterias, food processing plants, asylums, homes, hospitals, dairies, bakeries, poultry plants, around swimming pools, morgues, zoos, laboratories, and kitchens.

DIRECTIONS FOR SANITIZING MULTI-USE EATING AND DRINKING UTENSILS

1. Scrape and prewash utensils and glasses whenever possible.
2. Wash with good detergent or compatible cleaner.
3. Rinse with clean water.
4. Sanitize in a solution of 2 oz. to 5 gallons of water (25 PPM). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or absorbent to air dry.

WARNING:

CONTAINS INHIBITED
HYDROGEN CHLORIDE
FIRST AID

INTERNAL—Call a physician immediately. Do not eat or drink for 24 hours. If ingested, drink 2-4 glasses of water. If vomited, do not eat or drink for 24 hours.

EXTERNAL—If on skin, wash with water for 15 minutes. If in eyes, wash with cold water for 15 minutes. Consult a physician.

KEEP OUT OF REACH OF CHILDREN

Available in 1-gallon, 5-gallon, and 15-gallon sizes.

EPA Reg. No. 334-144 AA

NET CONTENTS 1 GALLON