

SHAKE WELL BEFORE USING.

TO OPERATE

Press button to release spray.

DIRECTIONS

Hold nozzle from 3 to 6 inches away from surface to be treated and spray across the surface about 1 or 2 feet per second so as to leave a wet surface. Repeat as often as necessary.

Spray cracks, crevices, baseboards and damp areas and other hiding places. Spray areas around frames, door and window sills and any other place where ants enter premises. Spray ant trails. Be sure and spray crawling insects and surfaces only.

USDA REG. NO. 334-202

WARNING

DO NOT APPLY IN EDIBLE PRODUCT AREAS OF FOOD PROCESSING PLANTS Harmful if swallowed. Keep out of reach of children. Avoid contamination of feed and foodstuffs. Avoid repeated or prolonged skin contact.

Do not induce vomiting if taken internally, send for physician.

Do Not Store At Abnormally High Temperatures. Remove birds, pets, fish, and children. Remove or cover food. Use in well ventilated rooms or areas only.

Always spray away from you.

Do not stay in room that has been heavily treated.

Do not spray into the air. Avoid inhalation. If spray gets on skin—wash immediately with soap and water.



**CAN SIZE 24 OZ.
NET CONTENTS 1 LB. 1 OZ. AV.**



Roach 'n Ant Killer!

Active Ingredients:
O,O-Diethyl O-(2-Heptyl-4-Methyl-5-Pyrimidinyl) Phosphorothioate
Pyrethrins
Technical Piperonyl Butoxide
Petroleum Distillate
Inert Ingredients:
Consists of 0.2096% (By weight) of O,O-Diethyl O-(2-Heptyl-4-Methyl-5-Pyrimidinyl) Ether and 0.0524% Related Compounds

WARNING

KEEP OUT OF REACH OF CHILDREN. FLAMMABLE.
HARMFUL IF SWALLOWED. CONTENTS UNDER PRESSURE.
SEE SIDE PANEL FOR FURTHER CAUTIONARY INFORMATION.

570-04-1

1879

Best Available Copy

334-202

3.10.70

10F2

005-PR
12-22-69

ACCEPTED
MAR 10 1970
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 339-205 SUBJECT
TO ATTACHED COMMENTS.