## TO OPERATE-PRESS BUTTON TO RELEASE SPRAY.

#### DIRECTIONS

Hold nozzle from 3 to 6 inches away from surface to be treated and spray across the surface about 1 or 2 feet per second so as to leave a wet surface. Repeat as often as necessary.

Spray cracks, crevices, baseboards and damp areas and other hiding places. Spray areas around frames, doors and any other place where ants enter premises. Spray ant trails. Be sure and spray crawling insects and surfaces only.

#### U.S.D.A. REG. NO. 334-202

ACTIVE INGREDIENTS:	96.05%
0,0-Diethyl 0-(2-Isopropyl-4 Methyl-6-	
Pyrimidinyl) Phosphorothicate 0.500%	
Pyrethrins	
Technical Piperonyl Butoxide* 262%	
Petroleum Distillate95.238%	
INERT INGREDIENTS:	3.95%

\*Consists of 0.2096% (Butylcarbityl) (6-propylpiperonyl) Ether and 0.0524% Related Compounds.

### WARNING

KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.
AVOID REPEATED OR PROLONGED SKIN CONTACT.
DO NOT INDUCE VOMITING IF TAKEN INTERNALLY—
SEND FOR PHYSICIAN.
ALWAYS SPRAY AWAY FROM YOU.

SEND FOR PHYSICIAN.

ALWAYS SPRAY AWAY FROM YOU.

DO NOT STAY IN HEAVILY TREATED ROOM.

USE IN WELL VENTILATED ROOMS OR AREAS ONLY.

Do not spray into the air. Avoid inhalation. If spray gets on skin—wash immediately with soap and water.

Do not allow children in treated area until surfaces are dry. Remove birds, pets, fish and children.


Avoid contamination of feed and foodstuffs.

Remove or cover food.

DO NOT APPLY IN EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS.

#### FLAMMABLE

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° Fahrenheit may cause bursting. Never throw container into fire or incinerator.





and the same of

# ACCEPTED

UNDER THE PLICEAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC BOISON REGISTERED UNDER NO. 22122 SUBJECT TO ATTACHED COMMENTS.