
TO OPERATE-PRESS BUTTON TO RELEASE SPRAY

DIRECTIONS

Hold nozzle from 3 to 6 inches away from surface to be treated and spray across the surface about 1 or 2 feet per second so as to leave a wet surface. Repeat as often as necessary.

Spray cracks, crevices, baseboards and damp areas and other hiding places. Spray areas around frames, doors and any other place where ants enter premises. Spray ant trails. Be sure and spray crawling insects and surfaces only.



ACTIVE INGREDIENTS	********	96,88%
O,O-Diethyl n- (2-Isopropyl-6 Methyl-4-	1	
Pyrimidinyl) Phosphorothioate	0.50%	
Pyrethrins	0.05%	
Technical Piperonyl Butoxide*	0.25%	
Aromatic Petroleum Distillate	0.41%	
Petroleum Distillate		

100.001

*Equivalent to 0.20% (Butylcarbityl) (6-propylpiperonyl) Ether and 0.05% Related Compounds.

INERT INCREDIENTS

WARNING

KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED.

AVOID SKIN CONTACT. DO NOT INDUCE VOMITING IF TAXEN INTERNALLY — SEND FOR PHYSICIAN. ALWAYS SPRAY AWAY FROM YOU. DO NOT STAY IN HEAVILY TREATED ROOM. USE IN WELL VENTILATED ROOMS OR AREAS ONLY. Do not use as a space spray. Avoid inhala-tion. If spray gets on skin—wash immediately with soap and water. Do not allow children in treated area until surfaces are dry. Remove birds, pets, fish and children. Avoid contamination of feed and foodstuffs. Remove or cover food. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in is commercially prepared or processed. Do not use in serving areas while food is exposed.

FLAMMABLE MIXTURE. Do not use near fire, sparks or flame.

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° Fahrenheit may cause bursting. Never throw container into fire or incinerator.

EPA Reg. No. 334-202 AA



CHICAGO, ILLINOIS 60609

