

Reg # 334-202

PM-13

181

4/8/91

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phygon Response, Page 2.12, Active to Inert Change to C.I.K.

C.I.K.

Roach 'n Ant Killer!

ACTIVE INGREDIENTS:

Diazinon [O,O diethyl O (2-Isopropyl 6-methyl-4-pyrimidinyl) phosphorothioate]	0.50%
Pyrethrins	0.05%
Piperonyl butoxide, technical*	0.25%
_____	_____
_____	_____
INERT INGREDIENTS †	99.20%
TOTAL	100.00%

*Equivalent to 0.20% (Butylcarbitolyl(6-propylpiperonyl) ether and 0.05% related compounds.

† Contains Petroleum distillates.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

5 ADDITIONAL PRECAUTIONARY STATEMENTS ON BACK PANEL.


NET WT 14 OZ (396 g)

MANUFACTURED BY

HYSAN

COMPORATION
MAIN OFFICE CHICAGO, IL 60609

OTHER LOCATIONS
Arlington (Dallas), TX 76011
Blue Island (Chicago), IL 60406
Cartersville (Atlanta), GA 30120



Hysan Brand Name: **C.I.K.**

Hysan Product No.: **57004-20-X-XX-XXXXX**
Disk Volume: 008 (L); Filename: A57004-20; Date Last Revised: 01-21-86
Product File Name at EPA: C.I.K. ROACH 'N' ANT KILLER

HYSAN LARA APPROVAL- by: _____ Date: _____
 CUSTOMER'S APPROVAL- by: _____ Date: _____

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid skin contact. Always spray away from you. Do not use as a space spray. Avoid inhalation. Remove birds, pets, fish, and children. Do not allow children in treated area until surfaces are dry.

Avoid contamination of feed and foodstuffs. Remove or cover food. Do not use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Send for physician.
IF ON SKIN: Wash immediately with soap and water.

PHYSICAL/CHEMICAL HAZARDS

Flammable mixture. Do not use near fire, sparks, or flames. Contents under pressure. Do not puncture. Exposure to temperatures above 130°F (54°C) may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Hold nozzle from 3 to 6 inches (75 to 150 mm) from surface to be treated, and spray across the surface about 1 or 2 feet (1/2 to 1/2 m) per second, so as to leave a wet surface. Repeat as often as necessary.

Spray cracks, crevices, baseboards, damp areas, and other hiding places. Spray areas around frames, doors, and any other place where ants enter premises. Spray ant trails. Be sure to spray crawling insects and surfaces only.

STORAGE AND DISPOSAL

STORAGE: Keep in a cool, dry, locked area away from flames, sparks, and other sources of heat or ignition. Containers heated above 130°F (54°C) may burst.

DISPOSAL: Refasten cap on container and discard in trash. Do not incinerate or puncture.

EPA Reg. No. 334-202

EPA Est. 334-IL-2

0186 Made in U.S.A.

Hysan Customer #: _____; Cust. Name: _____

1st Screen #: _____; Color: _____

2nd Screen #: _____; Color: _____

Artist for Final Label: _____; Date: _____

HYSAN R&D APPROVAL- by: _____; Date: _____

HYSAN SALES APPROVAL- by: _____; Date: _____