



Hysan

DIRECTIONS
FOR THE CONTROL OF GARDEN INSECTS
-For use on roses, dahlias, asters and other ornamentals, to kill Japanese beetles, aphids, exposed thrips and spider mites. Hold container at least 18" from foliage. Spray lightly in one-second bursts, spraying both top and underside of foliage. Properly treated foliage will be protected from many garden insects for about one week.

This ornamental spray may be used on plants, as a multi-purpose spray in small gardens, and for spot treatment of incipient insect infestations to prevent spreading in large gardens.

This spray may be used on such plants as: American violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, crassula, grape vine, kentia palms, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, Wandering Jew and Yuccas.

As a fungicide, spray before infection occurs for the prevention of powdery mildew and black spot on roses. Spray at five to seven day intervals while danger of fungi infection persists.

CAUTION

Do not spray closer than 18". Do not spray near open flame. Keep out of reach of children and do not store above 120° F. The manufacturer makes no warranties of any kind, expressed or implied concerning the use of this product. Do not burn or puncture container. Do not use near fishbowls or aquariums. Avoid breathing of spray or prolonged or repeated contact with skin. Avoid contact with eyes. Avoid contamination of feed and foodstuffs. Wash thoroughly after use.

U.S. Pat. Nos. 2,903,478;
2,553,770; 2,553,771
(R) Reg. U.S. Pat. Off.
California Chemical Company

ACCEPTED
July 21, 1970
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND ROENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 334-239

Comments

ROSE SPRAY



USDA REG. NO. 334-239

ACTIVE INGREDIENTS:	2.425%
Pyrethrins	0.025%
Technical Piperonyl Butoxide*	0.256%
Rotenone	0.128%
Citrus Cube Extractives	0.256%
Folpet (N-Trichloromethyl Thiophthalimide)**	0.700%
Carbaryl (1-Naphthyl N-Methylcarbamate)	1.000%
Petroleum Distillate	0.060%
INERT INGREDIENTS	97.575%
TOTAL:	100.000%

*Equivalent to 0.204% (butyl carbaryl) (6-propyl piperonyl) ether and 0.052% of related compounds.
**Otherwise known as PHALTAN. (R)

Net Wt. 15oz.

CAUTION: Keep out of reach of children.
Contents under pressure.
See side panel for further caution statements.

MANUFACTURED BY
HYSAN PRODUCTS COMPANY
CHICAGO ILLINOIS 60609