

KILLS VEGETATION QUICKLY ... TOTALLY

0006

WEED KILLER

GENERAL INFORMATION:
A liquid total weed killer. To be applied undiluted as a spray on non-cropland areas where bare ground is desired. The degree of weed control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions.

DIRECTIONS: Apply any time of year except when the ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer. Before treating, calibrate equipment to insure uniform cover of the area to be treated. Measure out the proper amount and apply.

EQUIPMENT: Power sprayers, compressed air hand sprayer, knapsack sprayers or an ordinary sprinkler can be used to apply. No dilution or agitation is required.

Do not reuse empty container. Wash thoroughly with soap and water. Discard in a safe place.

U.S.D.A. REG.
NO. 334-245
Net Contents 5 gal.

ACTIVE INGREDIENTS:	
Petroleum oil	96.10%
2,4-Dichlorophenoxyacetic acid, isooctyl ester*	1.09%
Bromacil (5-bromo-3-secbutyl-6-methyluracil)	0.61%
Pentachlorophenol	0.80%
Other chlorophenols	0.09%
INERT INGREDIENTS:	
*2,4-Dichlorophenoxyacetic acid equivalent	0.70%
Total	100.00%

ACCEPTED
MAY 8 1969
U.S. DEPARTMENT OF AGRICULTURE
OFFICE OF PLANT INDUSTRY
WASHINGTON, D.C. 20250
334-245
TO ATTACH TO LABEL

WARNING
KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. SEE SIDE PANEL FOR FURTHER CAUTION STATEMENTS.

Hyman PRODUCTS CO.

919 West 38th Street Chicago, Illinois 60609

GENERAL WEED CONTROL: To control most weeds for an extended period of time on noncropland areas such as parking lots, fence rows, loading ramps, railroad sidings, storage yards, around buildings and industrial plant sites, apply 2 to 5 gals. per 1,000 sq. ft. treated (80 to 200 gals. per acre).
To control annual weeds and grasses such as foxtail, ryegrass, wild oats, crabgrass, cheatgrass, broomsedge, ragweed, lambsquarter and turkey mullein, apply 1 to 2 gals. per 1,000 sq. ft. (40 to 80 gals. per acre).
To control perennial weeds and grasses, such as smooth brome, Canada bluegrass, purpletop, quackgrass, broomsedge, aster, dandelion, dog fennel, goldenrod, plantain and wild carrot, apply 2 to 4 gals. per 1,000 sq. ft. (80 to 160 gals. per acre).
For other **HARD-TO-KILL** perennial weeds and grasses such as Johnson-grass, saltgrass, bouncing bet., bracken fern and horsetail, apply 3 to 5 gals. per 1,000 sq. ft. (120 to 220 gals. per acre).

WARNING

Do not apply liquid directly to, or otherwise permit it to come into contact with susceptible plants, such as vegetables, flowers, fruit trees, ornamentals, cotton, grapes, or other desirable plants and do not permit spray mists containing it to drift onto them (coarse sprays are less likely to drift). Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (do not use same spray equipment for other purposes). Do not store near fertilizers, seeds, insecticides, or fungicides. Do not contaminate water used for irrigation or domestic purposes.
CAUTION: Harmful if swallowed or absorbed through skin! Causes skin irritation! Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. In case of contact wash skin with soap and water, for eyes, immediately flush with large amounts of water for at least 15 minutes and get medical attention. Remove and wash contaminated clothing before re-use.
Do not induce vomiting if taken internally—send for physician.

Another PENNSWIM® Product

PENNSWIM ALGAECIDE acts to control algae and fungi, control slime, cleanse pool walls and reduce waterline dirt and oil deposits. When diluted as directed, this product is non-irritating to skin and eyes of swimmers and is non-corrosive to pools and equipment.

DIRECTIONS FOR USE

1. For the first treatment, after usual cleaning operation, use one (1) quart of PENNSWIM ALGAECIDE for each 12,000 gallons of water in pool.
2. Follow every five to seven days with one quart (32 oz.) of PENNSWIM ALGAECIDE for each 12,000 gallons of water in pool. Maintain 2 to 5 ppm active ingredient in pool. See pool serviceman for test kit.
3. When algae are visible or in pools prone to algae growth, use 1 quart PENNSWIM ALGAECIDE for each 5,000 gallons of water in pool. When existing algae are dead and withered, clean the pool, drain and refill if necessary, and add one (1) quart PENNSWIM ALGAECIDE for each 12,000 gallons of water in pool.



CAUTION: Avoid contact with skin and eyes. In case of contact, wash thoroughly with water. If irritation persists, get medical attention. Harmful if swallowed. In case of ingestion, call a physician. Do not add this product directly to any other chemicals. Avoid contamination of food.

Made in U.S.A.

4 6710 04

Printed in U.S.A.

PENNSWIM 1 GALLON



PERCLO
GLO-PA
NOBET
DRY ACI


SURE-FL

LINER-IT
TILITE

Mix the r
water. Ad
Cior-Tabs

This prod
pool. The
ALGAECID

For saniti
use a so



PACKING INSTRUCTIONS: _____

 PULLEY SIZE: _____

design submitted by **BROOKWAY**
GLASS COMPANY

BODY SCREEN NO. _____
 COLORS _____
 SHOULDER SCREEN NO. _____
 COLORS _____
 DATE _____ CAP _____

LETTER REQ. NO. _____
 BODY DIA. _____
 BODY HEIGHT _____
 SHOULDER DIA. _____
 SHOULDER HT. _____
 COLOR GLASS _____
 MOULD NO. _____
 JCS NO. _____


PACKING INSTRUCTIONS: _____

 PULLEY SIZE: _____

design submitted by _____

BODY SCRE _____
 COLORS _____
 SHOULDER _____
 COLORS _____
 DATE _____

REGISTERED TRADEMARK



WEED KILLER

GENERAL INFORMATION

A liquid total weed killer. To be applied undiluted as a spray on non-cropland areas where bare ground is desired. The degree of weed control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions.

DIRECTIONS: Apply any time of year except when the ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer. Before treating, calibrate equipment to insure uniform cover of the area to be treated. Measure out the proper amount and apply.

EQUIPMENT: Power sprayers, compressed air hand sprayer, knapsack sprayers or an ordinary sprinkler can be used to apply. No dilution or agitation is required.

Do not reuse empty container. Wash thoroughly with soap and water. Discard in a safe place.

U.S.D.A. REG. NO. 334-2-5

Net Contents — 5 gal.

ACTIVE INGREDIENTS:	
Petroleum oil	76.10%
2,4-Dichlorophenoxyacetic acid, isooctyl ester*	1.00%
Bromacil (5-bromo-3-sebutyl-6-methyluracil)	0.61%
Pentachlorophenol	0.80%
Other chlorophenols	0.00%
INERT INGREDIENTS:	
*2,4-Dichlorophenoxyacetic acid equivalent	0.70%
Total	100.00%

ACCEPTED
MAY 8 1969
258-245


WARNING
KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. SEE SIDE PANEL FOR FURTHER CAUTION STATEMENTS.

Hyson PRODUCTS CO.

919 West 38th Street Chicago, Illinois 60609

140

1484



WEED KILLER

ACTIVE INGREDIENTS:	
Petroleum oil	55.10%
2,4-Dichlorophenoxyacetic acid, isooctyl ester*	1.00%
Bromoxif (5-bromo-3 sec-butyl 6-methyluracil)	0.61%
Pentachlorophenol	0.80%
Other chlorophenols	0.00%
INERT INGREDIENTS:	1.31%
* 2,4-Dichlorophenoxyacetic acid equivalent	U 70%
Total	100.00%

ACCEPTED
MAY 8 1969

WARNING
KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. SEE SIDE PANEL FOR FURTHER CAUTION STATEMENTS.

Hydrex PRODUCTS CO.
219 W. 38th Street Chicago Illinois 60609

WEED CONTROL ...
Apply 2 to 5 gals. per 1,000 sq. ft. ...
Apply 1 to 2 gals. per 1,000 sq. ft. ...
Apply 2 to 4 gals. per 1,000 sq. ft. ...
Apply 1 to 5 gals. per 1,000 sq. ft. ...

WARNING
Do not apply liquid directly to, or allow it to come into contact with, desirable plants such as vegetables, flowers, ornamentals, cotton, grapes, etc. ...
CAUTION Harmful if swallowed or absorbed through skin. Causes skin irritation. Do not breathe vapor or spray mist. ...

1484

1484