

GENERAL INFORMATION

This product, a selective weed killer for lawn grasses, is a non-selective surface herbicide especially formulated for use on turf-grass for selective control of many broadleaf weeds, commonly growing in lawns without injury to desirable grasses. This chemical may be used on all types of turf where some of our other products are used, including Heron, Kentucky Blue Grass, Bermuda, festuca and rye grasses. (This product has been used successfully on bentgrasses; however, it should not be used unless prior tests have shown it to be non-damaging under the particular conditions of use. To eradicate broadleaf weeds, it is better to use an other of our recommended selective weed killers for Fine Lawn Grasses.)

Do not use on dichondra or on newly seeded lawns.

WEEDS CONTROLLED:

Buckthorn	Lambsquarters	Red Clover
Clover	Mallow	Red Sorrel*
Common Chickweed	Mouse ear Chickweed	Stitchwort
Curled Dock	Morning Glory	Speedwell
Dandelion*	Pigweed	White Clover
English Daisy*	Plantain	Wild Garlic*
Ground Ivy	Purslane	Wild Onion*
Knotweed	Ragweed	Yarrow

NOTE: *Plants which are less than 24 D, so that some weeds will be controlled. Use others at a rate of 4 weeks for complete weed killing action to occur.

Either before or after application, it is wise to properly fertilize the lawn so as to encourage the lawn to heal rapidly as possible, filling in the bare areas where the weeds have died away. Once the weeds have been removed, the bare areas should be reseeded. Bare areas may be reseeded 3 to 4 weeks after application.

WHEN TO APPLY:

Apply in spring, or fall, when weeds are actively growing. Knotweed is controlled more easily in spring or early summer, when weeds are young.

PRECAUTIONS: Do not apply when turf is suffering from drought conditions or during very hot weather or damage to grass may result. Do not mow for several days before or after application. withhold sprinkling for 24 hours after application. Do not apply during periods of heavy rainfall. Do not use on newly seeded areas. Do not use if you want clover in your turf. In some areas, bentgrasses, carpet, buffalo, and St. Augustine grasses may be injured; therefore do not use on turf where these grasses predominate.

Local conditions may affect the use of this chemical. Consult competent state or local turf or weed specialist for specific recommendations as to dosage and time of application and for control of other weeds.

GCC-534

GROUND'S CONTROL CHEMICALS

**Controls many turf and lawn broadleaf weeds
and surface-creeping broadleaf weeds
without injury to most ornamental lawn grasses.**

ACTIVE INGREDIENTS:

Dimeethylamine salt of 2-(2-methyl 4-chlorophenoxy) Propionic acid* 0.312

Dimeethylamine salt of 2,4-dichlorophenoxyacetic acid* 0.310

INERT INGREDIENTS: 99.378

*Equivalent to .2% of 2-(2-methyl chlorophenoxy) propionic acid or .028 lbs. MCPP acid per gallon. Equivalent to .2% 2,4-dichlorophenoxyacetic acid or .028 lbs. 2,4 D per gallon.

CAUTION: KEEP OUT OF REACH OF CHILDREN

CONTENTS UNDER PRESSURE

Avoid contact with skin, eyes or clothing. Avoid inhaling spray mist. Avoid spray drift to susceptible plants as this product may injure grapes, tomatoes, beans, peas, other vegetables, legumes, ornamentals. Do not transport with or store near seeds, fertilizers, insecticides or fungicides. Do not use in or around green houses. Avoid contamination of water intended for irrigation or domestic purposes. Keep out of reach of children. Do not store with foodstuffs. After using, wash hands and other parts of the body contaminated with concentrate, spray or washings.

Keep in a storage space where temperatures are cool, since this container may burst at 120°F. Do not puncture or throw in fire.

Do NOT Store With Foodstuffs



MADE BY
HYSAN PRODUCTS COMPANY
Chicago 9, Illinois

DO NOT SPRAY ON PLANTS.

Remove cover cap. With sprayhead pointed toward weeds, depress spray valve. Apply spray lightly just so as to wet leaves. Do NOT SOAK PLANTS. For best results, hold spraycan 6 to 10 inches away from weeds. Do not water or cut lawn for 24 hours after application.

USDA Reg. No. 334-

Can Size: 24 oz.

Net Contents: 1 lb. 7 oz.

ACCEPTED

NOV 19 1961

UNIVERSITY OF ILLINOIS
FACULTY OF AGRICULTURE
DEPARTMENT OF SOILS
EDWARD R. SAYRE, DIRECTOR
T. F. COOPER, CHIEF OF STAFF

GENERAL USE
This product is a broadleaf weed killer. It is used to control weeds in lawns, golf courses, and other areas where broadleaf weeds are a problem. It may also be used to control surface-creeping broadleaf weeds. This product may be used on all types of turf grasses.

Ground Control (Formerly Removable Grass) is a broadleaf grass killer. This product has been successfully used on bermudagrass; however, it should not be used unless prior tests have shown it to be non-damaging under the particular conditions of use. To eradicate bermudagrass, it is better to use an other of our recommended selective weed killers for fine lawn grasses.)

Do not use on dethatched or on newly seeded lawns.

WEEDS CONTROLLED

Buckhorn	Lambquarters	Red Clover
Clover	Mallow	Red Sorrel*
Common Chickweed	White-Top Chickweed	Stitchwort
Curl-leaf Dock	Ground Cherry	Speedwell
Dandelion	Hemp Agrimony	White Clover
English Daisy*	Pigweed	Wild Geranium
Ground Ivy	Purslane	Yarrow
Knotweed	Ragweed	

NOTE: MCPA is equivalent to 24.0% 2,4-D. Other weeds are controlled by the action of the MCPA component. See label for weed killing action to occur.


Either before or after application, it is wise to properly fertilize the lawn to encourage the lawn to heal rapidly as possible, filling in the bare areas where the weeds have died away. Once the weeds have been removed, the bare areas should be reseeded. Bare areas may be reseeded 3 to 4 weeks after application.

WHEN TO APPLY:

Apply in spring, or fall, when weeds are actively growing. Knotweed is controlled more easily in spring or early summer, when weeds are young.

PRECAUTIONS: Do not apply when turf is suffering from drought conditions or during very hot weather or damage to grass may result. Do not mow for several days before or after application. Withdraw sprinkler for 24 hours after application. Do not apply during periods of heavy rainfall. Do not use on newly seeded areas. Do not use if you want clover in your turf. In some areas bermudagrass, carpet, buffalo, and St. Augustine grasses may be injured. Therefore do not use on turf where these grasses predominate.

Local conditions may affect the use of this chemical. Consult competent state or local turfgrass specialist for specific recommendations as to dosage and time of application, and for control of other weeds.



GROUND CONTROL CHEMICALS

**Controls many turf and lawn broadleaf weeds
and surface-creeping broadleaf weeds
without injury to most ornamental lawn grasses.**

ACTIVE INGREDIENTS:

Dimethylamine salt of 2-(2-methyl 4-chlorophenoxy)
Propionic acid* 0.312

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid* 0.310

99.378

*Equivalent to .27 % of 2-(2-methyl chlorophenoxy) propionic acid
or .27 lbs. MCPA acid per gallon. Equivalent to .27 % 2,4-dichloro-
phenoxycetic acid or .27 lbs. 2,4-D per gallon.


CAUTION: KEEP OUT OF REACH OF CHILDREN

CONTENTS UNDER PRESSURE

Avoid contact with skin, eyes or clothing. Avoid inhaling spray mist. Avoid spray drift to susceptible plants as this product may injure grapes, tomatoes, beans, peas, other vegetables, legumes, ornamentals, etc. Do not transport with or store near seeds, fertilizers, insecticides or fungicides. Do not use around green houses. Avoid contact of liquid with water intended for irrigation or domestic purposes. When at temperatures above 52°F, do not expose to freezing, thaw and refreeze.

Storage: Keep out of reach of children. Do not store with foodstuffs. After using, wash hands and other parts of the body contaminated with concentrate, spray or washings.

**Keep in a storage space where temperatures
are cool, since this container may burst
at 120°F. Do not puncture or throw in
fire.**




Do NOT Store With Foodstuffs

Asd. by
WYSAN PRODUCTS COMPANY

Chicago, Illinois

21



GROUND'S CONTROL CHEMICALS

**Controls many turf and lawn broadleaf weeds
and surface-creeping broadleaf weeds
without injury to most ornamental lawn grasses.**

ACTIVE INGREDIENTS:

Dimeethylamine salt of 2-(2-methyl-4-chlorophenoxy)	0.312
Propionic acid*	0.310

INERT INGREDIENTS:

Dimeethylamine salt of 2,4-dichlorophenoxyacetic acid*	99.378
--	--------

*Equivalent to .2% of 2-(2-methyl-chlorophenoxy) propionic acid or .68 lbs. MCPP acid per gallon. Equivalent to .2% 2,4-dichlorophenoxyacetic acid or .672 lbs. 2,4-D per gallon.

CAUTION: KEEP OUT OF REACH OF CHILDREN

CONTENTS UNDER PRESSURE

Avoid contact with skin, eyes or clothing. Avoid inhaling spray mist. Avoid spray drift to susceptible plants as this product may injure grapes, tomatoes, beans, peas, other vegetables, legumes, ornamentals. Do not transport with or store near seeds, fertilizers, insecticides or fungicides. Do not use in or around green houses. Avoid contamination of water intended for irrigation or domestic purposes. Store at temperatures above 22°F. -27°F. Exposed to freezing, thaw and refreeze. Keep out of reach of children. Do not store with foodstuffs. After using, wash hands and other parts of the body contaminated with concentrate, spray or washings.

Keep in a storage space where temperatures are cool, since this container may burst at 120°F. Do not puncture or throw in fire.



Do NOT Store With Foodstuffs
Asd. by
HYSAN PRODUCTS COMPANY
Chicago, Illinois

21

INSTRUCTIONS FOR USE

Remove cover cap. With sprayhead pointed toward weeds, depress spray valve. Apply spray lightly just so as to wet leaves. DO NOT SOAK PLANTS. For best results, hold spraycan 6 to 10 inches away from weeds. Do not water or cut lawn for 24 hours after application.

USDA Reg. No. 334-

Can Size: 24 oz.

Net Contents: 1 lb. 7 oz.

ACCEPTED

NOV 13 1967

Under the Federal Insecticide, Fungicide and Rodenticide Act
for Economic Protection, Registered
Under No. 931321 Subject
to Attached Conditions.

21A