

[334-275]

CCC-810

GROUND CONTROL CHEMICALS

DIRECTIONS

TURF GRASSES IN LAWNS, GOLF COURSES, AND OTHER NON-CROP AREAS: Fleas, Leafhoppers, Leaf Bugs and ~~ants~~—Use 3 1/3 pts. per acre (1 1/3 fl. oz. per 1,000 sq. ft.) in sufficient water for thorough coverage. Spray grass thoroughly when insects are noticed. Sprinkle lightly with water to wash chemical down around crowns of plants. Do not water again for several days; then sprinkle grass thoroughly to wash chemical off grass. One application may control pests for several weeks. Repeat application if necessary.

Ants—use 1 1/4 pts. in 100 gals. water (2 1/4 table-spoonfuls in 5 gals.). Spray lightly over infested areas. Repeat in 10-15 days if ants return.

ORNAMENTAL TREES AND SHRUBS: Make thorough, full-coverage applications when insects appear and repeat as necessary. **Oyster Shell Scale**—use 1 1/4 pts. per 100 gals. water; apply when crawlers have settled on foliage. **Lace Bugs**—use 1 1/4 pts. per 100 gals. **Euonymus Scale**—use 1 1/4 to 1 3/4 pts. per 100 gals. water. **Aphids, Mealybugs, Spider Mites, White Flies**—use 1 1/4 pts. per 100 gals. **Birch Leaf Miners, Boxwood Leaf Miners, Bagworms, Tent Caterpillars, Azalea Scale, Pine Leaf Scale**—use 2 1/2 pts. per 100 gals. water. **Black Scale Crawlers**—use 2 3/4 pts. per 100 gals. water. **Pine Needle Scale**—use 4 3/4 pts. per 100 gals. water.

Note: Injury may occur on certain ferns and on some species of crassula and canaerti juniper.

Net Contents: ... Gallons

U.S.D.A. REG. NO.

LIQUID INSECTICIDE

CONTROLS CERTAIN INSECTS OF TURF, ORNAMENTAL TREES AND SHRUBS, ALSO ADULT AND LARVAE MOSQUITOES AND SMALL FLYING INSECTS AS INDICATED.

Contains Malathion — an ~~ars~~ organic phosphate used as a contact poison. Acts by suffocating and paralyzing insects. Used particularly against the piercing and sucking insects, which do not consume enough of surface layers of leaves to be affected by stomach poisons.

ACTIVE INGREDIENTS:

Malathion* 50.0%
Aromatic petroleum derivatives 41.0%

INERT INGREDIENTS 9.0%

*C.O.d-methyl dithiophosphate of diethyl mercaptosuccinate.

CAUTION! KEEP OUT OF REACH OF CHILDREN
See side panel for further cautions

An exclusive product of:

Hyson PRODUCTS

919 West 38th Street Chicago, Illinois 60609

CAUTION: Harmful if swallowed. Avoid prolonged breathing of dust or spray mist. Avoid prolonged or repeated contact with skin or clothing; wash thoroughly after using. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Highly toxic to fish. Do not contaminate any body of water, by direct application, cleaning of equipment or disposal of wastes and containers. Do not use or store near heat or open flame. *May be harmful to fish + wild life.*

Destroy container when empty; never re-use. Punch container full of holes or crush it so it cannot be used or salvaged for any purpose.

MOSQUITOES AND SMALL FLYING INSECTS:

OUTDOORS — spraying around grassy areas, shrubs and other such non-food crop areas where these insects are found congregating or flying.

—Use 2% to 5% malathion spray. As a 2% spray dilute Malathion 50% Liquid 1 1/4 to 28 parts water, fuel oil or diesel oil. When using kerosene type solvent as carrier, dilute 1 1/4 part malathion in 28 parts of a mixture consisting of 4 parts kerosene-type solvent and 1 part aromatic hydrocarbon type solvent. For 5% spray dilute 1 1/4-11 using similar solvents. Repeat applications as necessary. Avoid applying oil-based formulations to valuable ornamentals plants as injury may occur.

MOSQUITO LARVAE IN STANDING WATERS: Apply at rate of 1 pt. per acre. Mix in sufficient water or oil to obtain even coverage when applied by air or ground equipment. Do not apply where fish are important resources. Application at these rates will kill fish.

Do NOT Store with Foodstuffs

334-275