			-						
KY-KIL									
The new Super!	br an	hen insects eeding. Thes at trails and es. Repeat a	appear wet se insects rui areas around pplication as	them. Repeat a away and hi door sills and often as nece	for several di de, but die lat d window fran ssary.	ays, then less er from effect nes where the	d crevices the frequently to s. Spray thoro pests enter t	prevent oughly all he prem-	
EIVR POACH SPRAY	pl of	et surfaces aces at the r f, hitting inse Bed Bugs:	thoroughly a rate of one ga ects directly to These inse	and treat all in allon of this n with this spray ots must be s	infested areas naterial on 750 r. Repeat when prayed direct.	i, insect runw sq. ft. of area necessary. To destroy b	es (accessible rays and insert a which is point to bug and eggs to operation a fector of the control of the con	ct hiding nt of run- take bed	
ACTIVE INGREDIENTS: 100%.	la		eekly behind	base boards.	mouldings, pic	tures and loos	e wallpaper to	prevent	
Ptetroleum Distiliate. N-Octyl Bicycloheptene Dicarboximide. Technical Piperonyl Butoxide*. Pyrethrins. *Consists of (Butylcarbityl) (6-Propylpiperonyl) Ether and other related compounds.	Rec var Inh sh	move birds, pet: ntilated after tre salation. If spray ould be remove	miting if taken s, fish, and child satment. Always y gets on skin—n d or covered dur	internatly—send ren. Remove or co spray away from wash immediately	ver food. CAUTIO you. Do not rema with soap and wa thoroughly cleane	not store at about 10 to	normally high ten was or areas that c has just been trea OCESSING PLANTS When using the pr	can be well sted. Avoid S: All food	
CAUTION: KEEP OUT OF REACH OF CHILDREN. HARMFUL OR FATAL IF SWALLOWED. SEE SIDE PANEL FOR FURTHER CAUTIONARY INFORMATION.		· · · · · · · · · · · · · · · · · · ·	NTS 1 GALL			U.S.D.A.	. REG. NO. 3		
Manufactured By **TISCURE_PRODUCTS CO. 919 West 38th Street Chicago, Illinois 60609									
747 TY 625 John Jines Cilicago, minors Joseph					.*				

n.

2

FEBIA1970
UNDER THE STATE
FOR THE STATE
FOR

in a