SUPER HY-K THE BOOKS AND THEE SYNERGISTS

It is an effective, for assemblished the control of roache, and certain other injurious and annoying insects found in institutions and commercial buildings. SUPER HY-KIL insecticide is highly useful for insect control in hospitals, hotels, restaurants, food stores, distilleries, breweries, bottling plants, food processing plants, bakeries, packing houses, and processing plants, and is an effective insecticide when used as directed.

## DIRECTIONS

IMPORTANT: Read Directions Carefully

Kills on contact the exposed or accessible stages of Rice Weevil, Granary Weevil, Confused Flour Beetle, Rust Red Flour Beetle, Cadelle, Saw Toothed Grain Beetle, Spider Beetle, Angoumois Grain Moth, Mediterranean Flour Moth, Meal Worms, Cigarette Beetle, Drug Store Beetle, Grain Mites.

TO CONTROL THESE STORED FOOD PRODUCTS INSECTS: Spray floors, walls, and partitions in food warehouses and processing plants with sufficient material to wet surfaces.

Pay particular attention to cracks and corners where insects may be harbored. Accumulations of waste grain and dirt should be removed before treatment. Use SUPER HY-KIL at the rate of 1 gallon per 750 square feet of surface to be treated

unloading, handling and processing areas and to conveying processing and handling equipment such as the inside of reel conveyors, purifier conveyors, sifters, roll housings and hoppers, pick up conveyors, etc. Spray thoroughly around the base of heavy machinery and equipment. Repeat treatments as required to prevent infestations.

BED BUGS: These insects must be sprayed direct. To destroy bug and eggs take bed apart. Spray joints, slats, springs and mattresses thoroughly. Repeat operation a few days later. Spray weekly behind base boards, moldings, pictures and loose wall paper to prevent breeding.

SUPER HY-KIL is an oil base material and should not be sprayed, stored or otherwise exposed to an open flame. Do not spray more than 1 gallor, in 40,000 cubic feet of enclosed space in order to avoid any explosion hazard. Cover as foodstuffs, dishes, cooking utensils, etc., to prevent contamination from fallen in ects

poultry houses.

Do not spray toward an open flame. Store in a cool place. Keep container closed. Remove or cover exposed food before spraying. Hermful if swallowed. When using the product as a space spray in food areas, apply only when the food processing plant is not in operation. Do not use in De not remain in treated areas and ventilate the area after trustment is completed.

Dec 18, 1970 UNDER THE FEDERAL DISECTION FUNGICIDE AND RODENTIC DE AC FOR ECONOMIC POISON 13 STATE ED UNDER NO. TO ATTACHED COMMENTS

LIQUID

ACTIVE INGREDIENTS: 100% PYRETHRINS 0.165%, TECHNICAL PIPERONYL BUTOXIDE \*0.330%, n-OCTYL BICYCLOHEPTENE DICAR. BOXIMIDE 0.550%, BETA-BUTOXY BETA-THIOCYANO DIETHYL ETHER 0.106%, n-OCTYL SULFOXIDE OF ISO SAFROLE 0.0175% AND RELATED COMPOUNDS 0.0025% \*\*, PETROLEUM DISTILLATE 98.829%.

\*Consists of 0.264% (BUTYLCARBITYL) (6-PROPYLPIPERONYL) ETHER AND 0.066% OTHER RELATED COMPOUNDS.

Net Contents 6 U.S. Gals.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Combustible Mixture. Contains Petroleum Distillate. See side panel for further caution statements.

RECOMMENDED DOSA For effective control of flies, mosquitoes, anat insects, direct the spray each 3,000 cubic feet. spraying.

CRAWLING INSECTS and clover mites, spray boards, moldings, cabit toward drains and dat hiding places. Repeat (

ROACHES, ANTS, WAT insects appear, wet their breeding.

These insects run away ant trails and areas an the premises. Repeat a

GRAIN WEEVILS, CADE (occessible stages) - W runways and insect hid 750 sq. ft. of area which Repeat when necessary

FLIES, WASPS, MOSQI Close all doors, winda upwards in all direction not dropped to the float insufficient. After 10 i needed.

FLEAS (Infesting Premi 'steeping quarters freely the room. Repeat when

673170 U.S.D

PRODUCTS COMPANY CHICAGO ILL 60609

Dec 18, 1970

UNDER THE FEDERAL INSECTION
FUNGIONE AND RODENTIC DE ACCE
TON ECONOMIC POISON (13 SELE
TO ATTACHED COMMENTS.

roaches and certain mercial buildings. tospitals, hotels, restaudistilleries, breweries, uses, and directed.

Granary Weevil, Cond Grain Beetle, Spider leal Worms, Cigarette

Pay particular lecumulations of waste iR HY-KIL at the rate

Spray
ocessing and handling
s, sifters, roll housings
d the base of heavy
cout infestations.

§ and eggs take bed peat operation a few and loose wall paper

tored or otherwise 40,000 cubic feet of the foodstuffs, dishes,

Remove or ring. Harmful if nod areas, apply Do not use in

## SUPERHY-KI LIQUID INSECTICIDE

ACTIVE INGREDIENTS: 100%
PYRETHRINS 0.165%, TECHNICAL PIPERONYL
BUTOXIDE \*0.330%, n-OCTYL BICYCLOHEPTENE DICARBOXIAIIDE 0.550%, BETA-BUTOXY BETA-THIOCYANO
DIETHYL ETHER 0.106%, n-OCTYL SULFOXIDE OF ISO
SAFROLE 0.0175% AND RELATED COMPOUNDS
0.0025%\*\*, PETROLEUM DISTILLATE 98.829%.

\*Consists of 0.264% (BUTYLCARBITYL)
(6-PROPYLPIPERONYL)ETHER AND
0.066% OTHER RELATED COMPOUNDS.

Net Contents 6 U.S. Gals.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Combustible Mixture. Contains Petroleum Distillate. See side panel for further caution statements. DIRECTIONS

important: Read Directions Carefully

RECOMMENDED DOSAGE FOR SPACE SPRAYING

For effective control of accessible, exposed stages of common insect pests such and tiles, masquitoes, gnats, boxalder bugs, wasps, hornets and certain other flying insects, direct the spray toward the upper portions of the area using 1 ounce to each 3,000 cubic feet. Keep doors and other openings closed for 10 minutes after spraying.

CRAWLING INSECTS—To control roaches, silverfish, crickets, spiders, scorpions, and clover nites, spray infested area thoroughly and direct mist behind base-boards, moldings, cabinets, shelves, sinks, door and window frames, and pipes; toward drains and dark corners, and into cracks, recesses, crevices and similar hiding places. Repeat treatment as necessary.

ROACHES, ANTS, WATER BUGS—Spray all cracks and crevices thoroughly. When insects appear, wet them. Repeat for several days, then less frequently to prevent breeding.

These insects run away and hide, but die later from effects. Spray thoroughly all ant trails and areas around door sills and window frames where the pests enter the premises. Repeat application as often as necessary.

GRAIN WEEVILS, CADELLES, GRAIN MOTHS, FLOUR BEETLES AND GRAIN MITES (accessible stages) — Wet surfaces thoroughly and treat all infested areas, insect runways and insect hiding places at the rate of one gallon of this material on 750 sq. ft. of area which is point of runoff, hitting insects directly with this spray. Repeat when necessary.

FLIES, WASPS, MOSQUITOES, HORNETS, AND GNATS

Close all doors, windows and transoms. Spray with a fine mist sprayer freely upwards in all directions so that the room is filled with the vapor. If insects have not dropped to the floor in 3 minutes, repeat spraying, as quantity sprayed was insufficient. After 10 minutes doors and windows may be opened. Repeat as needed.

FLEAS (Infesting Premises) -- Remove and destroy animal's bedding and spray sleeping quarters freely, forcing the Spray into all cracks in the floor and about the room. Repeat when reinfested.

Net Contents 6 gals.

073170 U.S.D.A. REG. NO. 334-298

MANUFACTURED BY
PRODUCTS COMPANY CHICAGO ILL 60609



