

12-9-71

DIRECTIONS

U. S. Public Health Service (71.513F)

(I) The insecticide shall be dispensed in the amount of not less than 5 grams each 1,000 cu. ft. of enclosed space in the aircraft, and shall be released or sprayed throughout all accessible compartments.

(II) Disinsectization may be accomplished either while the aircraft is in flight or while on the ground prior to take-off, but in no case shall disinsectization be accomplished later than 30 minutes prior to the first landing at a United States port.

(III) The ventilation system shall be stopped and all openings to the exterior kept closed while the insecticide is being released or sprayed, and for a period of not less than 3 minutes thereafter. If disinsectization is accomplished on the ground prior to take-off, the ventilation system may be opened at the end of such period, provided that the system is equipped with filters or other means for preventing the entrance of insects into the aircraft, but doors, windows, or other such openings to the exterior shall be kept closed until after the take-off, except in the case of emergency, or to permit persons applying the insecticide to debark.

USE NO GREATER DOSAGES THAN REQUIRED. EXCESSIVE SPRAYING IS WASTEFUL.

TO OPERATE:

1. Remove protective cap.
2. Holding dispenser upright, point nozzle in desired direction and press dispensing button to spray.
3. Replace protective cap to prevent accidental discharge when not in use.

ACTIVE INGREDIENTS:		15.00%
Pyrethrins	.45%	
*Piperonal bis [2-(2-butoxyethoxy) ethyl] acetal	2.43%	
*Other related compounds	.27%	
Petroleum distillate	11.85%	
INERT INGREDIENTS:		85.00%
Dichlorodifluoromethane	59.50%	
Trichloromonofluoromethane	25.50%	

*From TROPITAL[®] Synergist.
U.S. Pat. No. 3,310,463. TOTAL 100.00%

CAUTION: HARMFUL OR FATAL IF SWALLOWED.

Contains petroleum distillate.
Do not induce vomiting if taken internally,
send for physician.

CONTENTS UNDER PRESSURE. Never set container on stove, radiators or places where temperature will exceed 120° F., which may cause it to burst. Never puncture container, or throw in fire or incinerator.

When using this unit in Commercial Food Preparation Areas or Food Processing Plants, cover or remove foods during treatment. All food processing surfaces should be covered during treatment, or thoroughly cleaned before using.

When using this product in these areas, apply only when processing or preparation is not under way.

Caution: May stain finished surfaces and fabrics if sprayed too closely.

ACCEPTED
12-9-71
INDEPENDENT
ECONOMIC POISON
UNDER NO. 334-367 AA

ACCEPT
DEC 08 1971
INDEPENDENT
ECONOMIC POISON
UNDER NO. 334-367 AA

G-1707

insecticidal aerosol

**KILLS • MOSQUITOES
• GNATS • FLIES**

GUARANTEE: We guarantee the contents to be formulated from high quality ingredients and to conform to the specifications of the U. S. Public Health Service for Insecticidal Aerosol G-1707 and that this aerosol can is free from defects in material and workmanship.

EPA Reg. No. 334-367 AA

CAUTION: KEEP OUT OF REACH OF CHILDREN
HARMFUL OR FATAL IF SWALLOWED. CONTENTS
UNDER PRESSURE. Read left panel for precautions
and emergency instructions.

Net Wt. 24oz. (1lb. 8oz.)

MANUFACTURED BY
KYSAN
CORPORATION, CHICAGO, ILLINOIS 60609

