1 378

DIRECTIONS FOR USE

For use in hotels, motels, homes, institutions, packaging and processing plants, seed houses, and horse stables.

SPACE SPRAY-To kill flies. mosquitoes and gnats. Close room or area to be treated. Shut off air-conditioner and ventilator system. Seal all open vents. Cover all food handling surfaces and cover or remove all food. Remove fish and pets. Apply undiluted as a very fine mist space spray through manually operated equipment or with electrical or other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corners of the room. Fill the room with a fine mist space spray, at the rate of 5 fluid ounces per 5.000 cubic feet. Leave room closed for one half hour. Ventilate thoroughly before re-entry.

CONTACT SPP YS -- For control of roaches, onts, earwigs, grain mites, sowbugs, spiders and centipedes: Adjust sprayer to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets, and other harbourages. Spray these infested areas until thoroughly wet. Repent as necessary.

OB-40 Contraction Contractic Contraction Contraction Contraction Contraction Contraction C

A new synthetic pyrethroid for controlling the household flying and crawling insects: Houseflies, Mosquitoes, Gnats, Roaches, Ants, Earwigs, Spiders, Grain Mites, Sowbugs and Centipedes.

<pre>*+ (5-Benzyl-3-furyl)methyl 2.2-dimethyl-3- (2-methylpropenyl)cyclopropanecarboxylate</pre>					
Related compounds					
Aromatic petroleum hydrocarbons					
Petroleum distillate	`	•••	•	•	• •
Inert Ingredients:		•••	٠,	•	

*Cis trans isomers ratio: max. 30% () cis and min. 7() \div U.S. Patent No. 3.465,007

WARNING: KEEP OUT OF REACH OF C HARMFUL IF SWALL COMBUSTIBLE MIX

READ COMPLETE DIRECTIONS AND CAUTIONS ON SIDE LABEL BEFORE USING

NET 1 GAL.

0.250° 5 v 0.034° 5 0.331° 5 0.331° 5 99.375° 5 0.010° 5	V W
(=) trans.	ACCEPTED
HILDREN OWED. TURE.	AUG9 1973 UNDER UMF FEDERAL INSECTICIDE FUNCTIONE WID RUDENTICIDE ANT FOR FOONCMIC POISON PEOLSTER INTER NO. 334-37
SIDE LAREL DECODE LL	CINC

WARNING:

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Remove fish, birds and other pets from area to be sprayed. Avoid contamination of feed and foodstuffs. Use in food processing plants only when plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Extinguish open flames before space spraying. This formulation is combustible. Do not store near open flame. DO NOT OPEN, POUR OR SPILL NEAR AN OPEN FLAME.

CONTAINER DISPC SAL — Do not reuse empty containers or drums. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies. This formulation is toxic to fish. Avoid contamihation of water.

EPA Reg. No. 334-378AA

CHICAGO, ILLINOIS 60609