

Reg # 334-383
PM 17
P11

20
24
32

FOR OUTDOOR USE ONLY DIRECTIONS FOR USE

For outdoor use. Can also be used in attics, warehouses and other storage areas where foods and feedstuffs are not exposed. Application should be made in late evening when hornets, wasps and yellow jackets are at rest. Hold can upright. Remove cap. Point valve opening away from face. With wind at back, aim at nests in trees, bushes, under leaves, chimneys or cracks or crevices, etc. Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when most insects are at rest. If reinfestation occurs, repeat treatment.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician. Do not induce vomiting unless directed by a physician, since aspiration is a potential hazard.

WARNING: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Vapors may be harmful. Avoid breathing vapors or spray mist. Avoid contamination of feed and foodstuffs. Do not use on edible crops. When treating areas where food is prepared or processed, foods should be removed or covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Remove pets, birds, and cover fish aquariums before spraying.

Contents under pressure. Do not use near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

STORE in a cool, dry area away from flames, sparks, and other sources of heat and ignition. Containers heated above 130°F (54°C) may burst. For DISPOSAL, replace cap and discard container in trash. Do not incinerate or puncture.

EPA Reg. No. 334-383

EPA Est. 334-IL-2

0784 Made in U.S.A.

MANUFACTURED BY
KYSAN
CORPORATION
MAIN OFFICE
CHICAGO, IL. 60609
Arlington, TX 76011 • Atlanta, GA 30319
Blue Island, IL 60406

HY CLAST

WASP, HORNET & YELLOW JACKET KILLER

LONG SPRAY PATTERN
UP TO 20 FEET
AIDS IN REACHING NESTS

DIELECTRIC STRENGTH OVER 40,000

ACTIVE INGREDIENTS:

1-(5-benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropane-carboxylate	0.150%w/w
Related compounds	0.020%
Aromatic petroleum hydrocarbons	0.199%
Petroleum distillate	60.000%
INERT INGREDIENTS	39.631%
Total	100.000%

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

KEEP OUT OF REACH OF CHILDREN.

WARNING

CONTENTS UNDER PRESSURE. FLAMMABLE.
SEE BACK PANEL FOR FURTHER PRECAUTIONS.

ACCEPTED NET WT. 12 oz. (340 g)

DEC 15 1984

U.S. DEPARTMENT OF AGRICULTURE
REGISTERED WEIGHT
EPA Reg. No. **334-383**

24oz 2oz