

4/8/91

A-40 INSECT KILLER

WASP, HORNET, AND YELLOW JACKET KILLER

LONG SPRAY PATTERN
UP TO 20 FEET
AIDS IN REACHING NESTS

DIELECTRIC STRENGTH
OVER 40,000 V/cm

ACTIVE INGREDIENTS:

Resmethrin ((5-(phenylmethyl)-3-furanyl)methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)- cyclopropanecarboxylate)*	0.150%
Related compounds	0.020%

INERT INGREDIENTS†

TOTAL	100.000%	99.830%
-------	----------	---------

*Cis/trans isomers ratio: maximum 30% (±) cis;
minimum 70% (±) trans.

†Contains Petroleum distillates.
KEEP OUT OF REACH OF CHILDREN.

WARNING

SEE ADDITIONAL PRECAUTIONARY AND
PRACTICAL TREATMENT STATEMENTS ON BACK PANEL.

NET WT 12 OZ (340 g)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Harmful if swallowed. Vapors may be harmful. Avoid breathing vapors or spray mist. Remove pets and birds, and cover fish aquariums before spraying.

Avoid contamination of feed and foodstuffs. Do not use on edible crops. When treating areas where food is prepared or processed, foods should be removed or covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do NOT induce vomiting unless directed by a physician, since aspiration is a potential hazard. Call a physician.

PHYSICAL/CHEMICAL HAZARDS

Flammable: Do not use or store near heat sources, sparks, or open flames. Do not use in the vicinity of pilot lights. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR OUTDOOR USE: Can also be used in attics, warehouses, and other storage areas where foods and feedstuffs are not exposed.

Application should be made in late evening when hornets, wasps, and yellow jackets are at rest. Hold can upright. Remove cap. Point valve opening away from face. With wind at back, aim at nests in trees, bushes, chimneys, cracks, crevices, or under leaves, etc.

Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when most insects are at rest. If reinfestation occurs, repeat treatment.

STORAGE AND DISPOSAL

GENERAL: Do not contaminate other materials, including water, food, or feed during transport, use, storage, or disposal. If damaged or leaking, soak up and wrap waste, then dispose of as below.

STORAGE: Keep in a cool, dry, locked area inaccessible to children and away from flames, sparks, sunlight, or other sources of heat or ignition. Containers heated above 130°F (54°C) may burst.

DISPOSAL: Retasten protective cap on container, securely wrap in several layers of newspaper, and discard in trash. Do not incinerate or puncture.

EPA Reg. No. 334-383

EPA Est. No. 334-IL-2






MANUFACTURED BY:

HYSAN CORPORATION

(HYSAN LOGO) MAIN OFFICE: CHICAGO, IL 60609
Arlington (Dallas), TX 76011
Cartersville (Atlanta), GA 30120
Blue Island (Chicago), IL 60406

1287

Made in U.S.A.



Hysan Product Name: **HYBLAST**
Hysan Product #: 25504-16-X-XX-XXXXX
Disk Volume: 018 (L); Filename: A25504-16; Date Last Revised: 12-30-87
Product File Name at EPA: A-40 Insect Killer

HYSAN LARA APPROVAL - by: _____ Date: _____
 CUSTOMER'S APPROVAL - by: _____ Date: _____

Hysan Customer #: _____
1st Screen #: _____
2nd Screen #: _____
Artist for Final Label: _____ Date: _____
 HYSAN R&D APPROVAL - by: _____ Date: _____
 HYSAN SALES APPROVAL - by: _____ Date: _____

BEST AVAILABLE COPY

ACCEPTED
16 MAY 1988
Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended for the pesticide
registered under
EPA Reg. No. 334-383