334-393

081371

FOR USE IN. Restaurants, Taverns, Stores, Kitchens, Bakeries, Cafeterias, Canneries, Locker Rooms, Utility Rooms, Food Markets, Food Processing Plants, Washrooms, Porters' Closets, Hospitals, Hotels, Bottling Plants, and other places where foods are processed and prepared.

DIRECTIONS FOR USE

Remove protective cap. Aim spray opening away from person. Push button to spray.

For houseflies, mosquitoes, and gnats: Close all doors and windows. Point nozzle upward, direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when the treatment is completed.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

For crawling insects: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insect where possible.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Active Ingredients:		19.666%
*†(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.350%	
Related compounds	0.048%	
Aromatic petroleum hydrocarbons	0.464%	
Petroleum distillate	18.804%	
Inert Ingredients:		80.334%
	Total	100.000%

*Cis/trans isomers ratio: max 30% (±)cis and min 70% (±)trans.
†U.S. Patent No. 3,465,007

ACCEPTED
DEC 6 1971
UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED SUBJECT TO LABEL NO. AS ATTACHED COMMENTS.
334-393

CAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Avoid contamination of feed and foodstuffs. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation. Cover fish bowls and remove birds for 1 hour when spraying rooms.

WARNING

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° Fahrenheit may cause bursting. Never throw container into fire or incinerator.

ACCEPTED
MAY 8 1974
UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED SUBJECT TO LABEL NO. AS ATTACHED COMMENTS.
334-343

Nokout 35



AEROSOL INSECTICIDE

For Controlling the Following Flying and Crawling Insects:

HOUSEFLIES, MOSQUITOES, GNATS, WASPS, ROACHES, ANTS, EARWIGS, SPIDERS, GRAIN MITES, SOWBUGS AND CENTIPEDES.

EPA Reg. No. 334-~~393~~ 353 AA

CAUTION: KEEP OUT OF REACH OF CHILDREN
CONTENTS UNDER PRESSURE

SEE BACK PANEL FOR FURTHER CAUTIONS.

MANUFACTURED BY
Kysan CORPORATION, CHICAGO, ILLINOIS 60609

Net Wt. 16 oz. (1 lb.)