

[334-397]

[334-397]

DIRECTIONS FOR USE

INDOORS — FOR HOUSEFLIES, MOSQUITOES, AND GNATS: Remove pets, birds and cover fish aquariums before spraying. Apply as a space spray. Mix well before using. Fill spray tank with undiluted insecticide spray formulation. Adjust pressure and nozzle to deliver a fine mist spray. Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Keep the spray nozzle at all times at least four feet from fabrics to avoid wetting or staining. Fill the room with mist at the dosage rate of one fluid ounce per 1,000 cu. ft. of space. Then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed and before re-entry.

INDOORS — FOR CRAWLING INSECTS: Apply as a contact spray. Mix well before using. Fill spray tank with undiluted insecticide spray formulation. Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse spray, with particle size larger than that of the average aerosol. When possible, spray directly on cockroach, earwig, crane fly, sowbug, spider and centipede harborage situations. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and wires, under refrigerators, baseboards, and storage areas. Apply spray to area in mist, but not to the point of runoff. Spray directly on insects where possible. Repeat as necessary.

ANTS: Apply spray to all points of entry. Spray on ants where they are present as necessary.

WB1000 INSECTICIDE

USE ONLY AS DIRECTED

Active Ingredients:

*† (5-Benzyl-3-furyl)-methyl-2,2-dimethyl-3-(2-methylpropenyl)-cyclopropanecarboxylate	0.250% w/w
Related compounds	0.034%

Inert Ingredients:

	99.716%
	100.000% w/w

* Cis/trans isomers ratio: max. 30% (10% cis and min. 70% trans)

† U. S. Patent No. 3,465,007.

**CAUTION: KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.
NET GAL**

FLEAS: Protect dogs and catting areas. Hold spray nozzle treated. Apply spray at the r. Direct spray on resting areas bedding the same way. Also houses. Repeat as necessary.

Also treat dogs and cats will re-enter the area just treate

OUTDOORS — TO CONTROL: contact spray. Spray directly

ANTS: Spray trails, nests at where possible. Repeat as n

FLEAS: Same as directed for

SPIDERS: Direct short burst necessary.

WASPS: Application should be are at rest. Spray liberally in tacting as many insects as

FOOD AREAS: Do not use in ccessing plants, restaurants, i commercially prepared or pr while food is exposed.

Avoid contamination of feed i crops.

CONTAINER DISPOSAL: Do i container by perforating or away from water

STORE AT TEMPERATURES AB

E. P. A. Reg. No. 334-397 A



334-397

[334-397]

USE FOR USE

FISH, MOSQUITOES, AND GNATS: Use in fish aquariums before spraying. Mix well before using. Fill spray tank with insecticide spray formulation. Deliver a fine mist spray. Close spray nozzle upward, direct the spray especially windows and other openings. Treat these insects. Keep the spray about four feet from fabrics to avoid staining. Fill room with mist at the dosage of 1000 cu. ft. of space. Then leave room closed for at least 15 minutes. When treatment is completed and

INSECTS: Apply as a contact spray. Fill spray tank with undiluted product. Keep spray nozzle about 8 to 12 inches from area to be treated. Adjust pressure and nozzle with particle size larger than 100 microns. When possible, spray directly on insects, sowbugs, spiders and centipedes. Spray thoroughly into hiding places, moist areas, openings around doors, baseboards, and storage areas that are moist, but not to the point of dripping. Repeat treatment as necessary.

ANTS: Spray on points of entry. Spray on ants where possible. Repeat as necessary.

WB1000 INSECTICIDE

USE ONLY AS DIRECTED

Active Ingredients:

*† (5-Benzyl-3-furyl)-methyl-2,2-dimethyl-3-(2-methylpropenyl)-cyclopropanecarboxylate	0.250%	w/w
Related compounds	0.034%	

Inert Ingredients:

	99.716%	
	100.000%	w/w

* Cis/trans isomers ratio: max. 30% () cis and min. 70% () trans.
† U. S. Patent No. 3,465,007.

**CAUTION: KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.
NET 1.0 GAL**

FLEAS: Protect dogs and cats from fleas by spraying their resting areas. Hold spray nozzle about 18 inches from area to be treated. Apply spray at the rate of two seconds per linear foot. Direct spray on resting areas and floor around these areas. Treat bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary.

Also treat dogs and cats with a registered product before they re-enter the area just treated with this product.

OUTDOORS — TO CONTROL NUISANCE PESTS: Apply as a contact spray. Spray directly on insects.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

FLEAS: Same as directed for indoor use.

SPIDERS: Direct short burst of spray on spiders and repeat as necessary.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOOD AREAS: Do not use in edible products areas of food processing plants, restaurants or other areas where food is being commercially prepared or processed. Do not use in areas where food is exposed.

Avoid contamination of food and foodstuffs. Do not use on food crops.

CONTAINER DISPOSAL: Do not reuse empty containers. Empty container by perforating or crushing, and bury in a safe place away from water.

STORE AT TEMPERATURES ABOVE 40° F. MIX WELL BEFORE USING.

E. P. A. Reg. No. 334-397 AA EPA REG. NO. 334-397-1

MANUFACTURED BY



334-397