2700

PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS AND DOMESTIC ANIMALS** CAUTION

Harmful II swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with skin. In case of contact, immediately flush skin with olenty of water.

Oo not use in commercial food processing, serving, storage or preparation areas, in addition, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover tish aquariums before soraving.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or inclnerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE **GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE, HOLD CONTAINER UPRIGHT, APPLY IN SHORT BURSTS

To Kih Files, Mosquitoes, Small Flying Moths, Wasps and Gnats: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects.

To Kill Cockroaches, Ants and Crickets: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harbouring these gests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. To kill ants, treat doors, around window frames. ant traits and other areas of entry. Repeat as necessary.

To Kill Carpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furntiure. Both top and bottom of ruos and carpets should be sprayed thoroughly. Also treat shelves, closels, areas under lurniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Exposed Forms of Confused Flour Beetles, Saw-Toothed Grain Beatles, and Rice Weevils: Find and destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Sowburs. Centipedes, Firebrats and Spiders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks, behind sloves and refrigerators.

To Kill Fleas and Brown Dog Ticks: Remove and destroy old pet bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeal as necessary. Do not spray animals. Put fresh bedding in pet quarters after spray has dried. Also treat dogs and cats with a registered flea and tick control product before allowing them to enter treated area

STORAGE AND DISPOSAL

STORE in a cool, dry area away from flames, sparks, and other sources of heahand function. Containers heated above 130°F (54°C) may burst. For DISPOSAL, replace cap and discard container in trash. Do not inchera@ or ounclure.

EPA Reg. No. 334-449

EPA Est. 334-IL-2

DEC 1.5 1004 togistored unde 334 Gs officer all the their

FIK - 20

INSECT KILLER

FOR USE IN INDUSTRIAL AND INSTITUTIONAL **BUILDINGS (NON-FOOD AREAS ONLY).**

KILLS: HOUSE FLIES, MOSQUITOES, COCKROACHES, WASPS, SMALL FLYING MOTHS, GNATS, ANTS, CRICKETS, CARPET BEETLES. FLOUR BEETLES. SAW TOOTHED GRAIN BEETLES. RICE WEEVILS. SOMBUGS, CENTIPEDES, SPIDERS, FLEAS, BROWN DOG TICKS, FIRE

ACTIVE INGREDIENTS:

Tetramethrin [(1-cyclohexene-1, 2-dicarboximido)methyl 2.2-dimethyl-3-(2-methyloropenyl) -

cyclopropanecarboxlate] 0.200%

*3-Phenoxybenzyl d-cis and trans** 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate 0.191%

*Other isomers 0 009% Petroleum distillate 9 250% INERT INGREDIENTS 90.350%

*d-(cis, trans) phenothrin

TOTAL

**cis/trans isomer ratio: max. 25% (±) cis; min. 75% (±) trans

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WT. 16 OZ. (453 g)

MAIN OFFICE

CHICAGO, IL. 60609 Adimpton, TX 76011 • Augrit 65 39319