

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS

CAUTION

HARMFUL IF SWALLOWED.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not store near heat or open flame. Exposure to temperatures above 130°F. may cause bursting. Never throw container into fire or incinerator.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink 2 glasses of water and induce vomiting.

If in eyes, flush with water for 15 minutes and call physician.

If on skin, wash with soap and water. If irritation persists, call physician.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

THE INGREDIENTS IN THIS PRODUCT ARE NON-FLAMMABLE AND THE SPRAY MIST WILL NOT IGNITE.

**AERO-SECT
AIRCRAFT DISINSECTICIDE**

FOR PUBLIC HEALTH, PLANT PROTECTION AND
QUARANTINE PESTS FOUND ON AIRCRAFT.

KILLS FLIES, MOSQUITOES, GNATS, CARIBBEAN
FRUIT FLIES

ACTIVE INGREDIENT:

* (5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-
(2-methylpropenyl) cyclopropane carboxylate . . . 2.00%

INERT INGREDIENTS: 98.00%

100.00%

* Cis/trans ratio: max. 11% (±) cis. and min. 89% (±)
trans.

* U.S. Patent No. 3,465,007.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See Back Panel For Additional Precautionary Statements

FPA Reg. No. 334-450

EPA Est. No. 334-IL-1

NET CONTENTS _____

MANUFACTURED BY
HYSAN
CORPORATION
CHICAGO, ILLINOIS 60609

DIRECTORS FOR USE

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling information.

Disinsectization may be accomplished either while the aircraft is in flight or while on the ground prior to take off, but in no case shall disinsectization be accomplished later than 30 minutes prior to the first landing at a United States port.

The ventilation system shall be stopped and all the openings to the exterior kept closed while the insecticide is being released or sprayed, and for a period of not less than 3 minutes thereafter. If disinsectization is accomplished on the ground prior to takeoff the ventilation system may be opened at the end of such period, provided that the system is equipped with filters or other means for preventing the entrance of insects into the aircraft but doors, windows, or other such openings to the exterior shall be kept closed until after the takeoff, except in the case of emergency, or to permit persons applying the insecticide to disembark.

The aerosol should be dispersed at blocks away at a dosage of 5 grams (5 seconds) per 1000 cubic feet space. Remove protective cap. Direct the spray nozzle toward the ceiling of the compartment or space being sprayed. Push button to spray. Move arm from side to side in a sweeping motion. Spray the spaces inaccessible from within aircraft after completely loading fuel, passengers, cargo, baggage, etc., this includes baggage compartments, wheel wells and other similar places.

Spray the cabin, cockpit and other spaces accessible from within the aircraft after the crew is on board and after all doors, windows, hatches and ventilation openings are closed.

37