

Precautionary Statements
Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

This is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not re-use empty container. Wrap container and put in trash collection.

This product will kill Flies, Mosquitoes, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets and Silverfish.

Aids in control of Cockroaches.

Cover exposed food, dishes and food-handling equipment. Dispose of all infested food or feed products. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use one unit for 1500 cubic feet for control of fleas. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooding the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

HYSAN BIG - SHOT TOTAL RELEASE FOGGING INSECTICIDE

One Unit Treats Up to 6,000 Cubic Feet

KILLS:

Flies, Mosquitoes, Cockroaches, Spiders, Centipedes,
Fleas, Wasps, Ticks, Black Carpet Beetles,
Saw-toothed Grain Beetles, Rice Weevils,
Small Flying Moths, Pill Bugs,
Crickets and Silverfish

ACTIVE INGREDIENTS:

Tetramethrin / (1-Cyclohexene-1,2-dicarboximide)	
methyl 2, 2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate	200%
*3-Phenoxybenzyl d-cis and trans**2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	383%
*Other isomers	017%
Petroleum Distillate	9.340%
INERT INGREDIENTS:	90.060%
	100.000%

*d-(cis, trans) phenothrin

**cis/trans isomer ratio: max. 25% (+ or -) cis
min. 75% (+ or -) trans

CAUTION

KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 334-457

EPA Est. No. 334-1L-2

Net Weight 7.5 oz.

MANUFACTURED BY

HYSAN
CORPORATION

CHICAGO, ILLINOIS 60608

334-457