

NOTE: Minimum type size on back panel is 6 points. (A reduction to 85% will give about 6 1/2 point type with 12% pic column width.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION Harmful if swallowed, inhaled or absorbed through skin. May irritate skin. Avoid breathing spray mists. Provide adequate ventilation of area being treated. Avoid contact with eyes, skin, and clothing. Wash thoroughly with soap and water after handling.

PRACTICAL TREATMENT (FIRST AID)

GENERAL QUICKLY follow directions below AND call a Poison Control Center (or physician or emergency department). Always get quick medical attention for ANY ill effects which continue (or show up later).

IF IN EYES Flush eyes with plenty of water while removing any contact lenses, then hold eyelids open and flush eyes thoroughly with water.

IF SWALLOWED Get immediate medical attention. Do NOT induce vomiting unless directed by medical personnel. Immediately (for conscious victim) rinse mouth with water, spit out rinse, then drink a glassful or more of water.

IF ON SKIN, CLOTHING, ETC. Remove any contaminated clothing, shoes, jewelry, etc. (clean them thoroughly before wearing) and wash affected skin with soap and water.

NOTE TO PHYSICIAN Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine administered by injection only, is an antidote. Also contains over 99% Petroleum distillates.

PHYSICAL/CHEMICAL HAZARDS

Do not use or store near heat or open flames.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INSTRUCTIONS

BEFORE USE FIRST read entire label carefully. Find and dispose of all infested foods (drinks/feeds, packaged goods, etc.). Remove pets (including birds) and cover non-movable aquariums, etc. in area to be treated.

Before spraying in medical care areas, remove all patients. After spraying, ventilate area for 2 hours before returning patients.

Do not use in commercial food processing or preparation areas. In other areas, remove or cover any exposed foods/drinks/feeds, also cover or remove any surfaces that they may contact, such as utensils, appliances, equipment, or other products.

TO APPLY Use only the type of sprayer specified on the label. To apply, use a sprayer to apply undiluted product directly on surfaces until they are wet. Spray directly on insects whenever possible. Do not get product on people, pets, vegetables, plants, or surfaces which they might contact. Do not get product on wet or oily surfaces.

AFTER USE Wash all food/drink/feed contact surfaces with an effective cleaning product, followed by a potable drinking water rinse. Close container tightly when not in use. Repeat treatment as necessary for control.

(Continued on right side panel)

(Check with IARA Office before adding the USDA statement below.)

Authorized by USDA for use in Federally inspected meat and poultry plants

TRAPPER LIQUID RESIDUAL INSECTICIDE

ACCEPTED

SEP 19 1990

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 334-463

A BROAD-SPECTRUM, RESIDUAL, SOLVENT-BASED, CONTACT-TYPE, READY-TO-USE INSECT KILLER FOR LOCALIZED SURFACE AND SPOT TREATMENT ON NON-FOOD-CONTACT SURFACES OF MEDICAL, INDUSTRIAL, INSTITUTIONAL, COMMERCIAL, AND RESIDENTIAL GROUNDS, BUILDINGS, VEHICLES, AND EQUIPMENT

MULTI-ACTIVE FORMULA

- SYNERGIZED PYRETHROID FOR QUICK KNOCKDOWN
- CHLORPYRIFOS FOR RESIDUAL KILLING ACTIVITY

EFFECTIVE AGAINST A WIDE RANGE OF COMMON CRAWLING INSECT PESTS INCLUDING

Ants, Brown Dog Ticks, Carpet Beetles, Centipedes, Clover Mites, Cockroaches, Crickets, Dermestids, Earwigs, Firebrats, Fleas, Lone Star Ticks, Millipedes, Silverfish, Sowbugs, and Spiders

ALSO EFFECTIVE AGAINST MANY FLYING INSECTS LANDING OR FEEDING ON TREATED SURFACES, INCLUDING: Bees, Flies, Gnats, Hornets, Mosquitoes, small flying Moths, Wasps, and Yellow Jackets

ACTIVE INGREDIENTS:

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	0.500%
d trans-Allethrin	0.050%
N-Octyl bicycloheptene dicarboximide	0.166%
Piperonyl butoxide, technical*	0.100%
INERT INGREDIENTS†	99.184%
TOTAL	100.000%

*Consists of 0.08% (Butylcarbityl(6-propylpiperonyl) ether and 0.02% Related Compounds

†Contains Petroleum distillates

KEEP OUT OF REACH OF CHILDREN. CAUTION

SEE ADDITIONAL PRECAUTIONARY AND PRACTICAL TREATMENT (FIRST AID) STATEMENTS ON LEFT PANEL

EPA Reg No. 334-463

EPA Est No. 334-IL-1

MANUFACTURED BY **hysan** CORPORATION

MAIN OFFICE CHICAGO, IL 60609

OTHER LOCATIONS: Waco, TX 76712
Blue Island (Chicago), IL 60406
Cartersville (Atlanta), GA 30120

NET 1 GAL (3.78 L)

DIRECTIONS FOR USE

(Continued from left side panel.)

TO KILL ANTS, CENTIPEDES, CLOVER MITES, COCKROACHES, CRICKETS, EARWIGS, FIREBRATS, MILLIPEDES, SILVERFISH, SOWBUGS, AND SPIDERS

Thoroughly spray holes/cracks/crevices and other spot and surfaces in places suspected of harboring these pests, including hidden areas under and behind cabinet, sinks, stoves, and refrigerators, and in and around wast containers. For Ants, also spray their points of entry, such as around door and window frame, holes/cracks/crevices in walls, floors, and ceilings, or known ant trails, hills, nests, etc.

TO KILL BROWN DOG TICKS, LONE STAR TICKS, AND FLEAS

Do not spray animals. Remove and clean or destroy or pet bedding. Spray areas frequented by pets, including dog houses, pet sleeping areas, around baseboards, or on other local areas or walls and floors (especially, if rugs/carpets near walls and furniture and holes/cracks/crevices in pet areas). After treatment, p fresh bedding in pet's quarters. Before pets reent area, treat them with a flea and tick control produ labeled for use on animals.

TO KILL CARPET BEETLES AND DERMESTIDS

Thoroughly spray edges, tops, and bottoms of rugs & carpets, and inside upholstered furniture. Also treat closets, on shelving, along baseboards, under furnitur, and wherever these insects are seen or suspected.

STORAGE AND DISPOSAL

GENERAL Do not contaminate other materials (includi' water/food/feed) during transport, use, storage, or disposal. If damaged, leaking, or spilled, soak up a wrap any waste, then dispose of as below.

STORAGE Keep in upright, tightly closed original co tainer in a cool, dry, locked area inaccessible to childr and away from sources of ignition, heat, degradation, a contamination (including flames, sparks, hot surface sunlight, and other chemicals).

DISPOSAL Do not reuse empty original container. Rin it thoroughly with water, securely wrap in several laye of newspaper, and discard in trash.

EPA Reg No. 334-463

EPA Est. No. 334-IL-1

hysan CORPORATION
Blue Island, Chicago, IL 60406
Cartersville, Atlanta, GA 30120

MADE IN U.S.A.

TRAPPER LIQUID

Hysan Product Name

Hysan Product # 58040-01-X-XX-XXXX

Disk Volume 050 (L) Filename: A58040-01 EPA Date Last Revised: 03-31-90
Product File Name at EPA: Trapper Residual Insecticide (NON-Aerosol version)

HYSAN IARA APPROVAL By _____ Date _____
 HYSAN R&D APPROVAL By _____ Date _____

(SEE ADDITIONAL COPY ON BACK.)

NOTE: Below is the Storage and Disposal section for containers over 1 gal substitute for the equivalent section on the 1 gal label

03714001

2/2

STORAGE AND DISPOSAL

GENERAL: Do not contaminate other materials (including water, food, feed) during transport, use, storage, and disposal. If damaged, leaking, or spilled, dispose of as below.

STORAGE: Keep in upright, tightly closed original container in a cool, dry, locked area inaccessible to children and away from sources of ignition, heat, degradation, and contamination (including flames, sparks, hot surfaces, sunlight, and other chemicals).

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site, or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Rinsed plastic & paper-reinforced plastic containers may also be disposed of by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.