

ACCEPTED

MAR 20 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for use as a pesticide registered under EPA Reg. No. 334-467

# WW INSECTICIDE AQUEOUS PRESSURIZED SPRAY

### DIRECTIONS FOR USE

Shake well before each use. Remove protection cap. Aim spray opening away from person. Push button to spray. Apply this product only as specified on this label.

**FOR USE IN HOUSEHOLDS AND NON-FOOD AREAS OF INDUSTRIAL PLANTS.**

**KILLS FLIES, MOSQUITOES, AND GNATS:** Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

**KILLS WASPS AND HORNETS:** Space Spray - Before applying, close all doors, windows and ventilator openings. In unfinished attics and crawl spaces where direct sprays cannot reach pests, point nozzle upward and fill the area with mist at the rate of 35 seconds per 1,000 cu. ft. of space. Leave treated area immediately after application is complete, closing off area for at least 1/2 hour. Ventilate area when treatment is completed. Repeat as necessary.

**KILLS CRAWLING INSECTS:** Kill roaches, earwigs, grain mites, sowbugs, spiders and centipedes by spraying thoroughly into cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible as a contact spray. Repeat applications as necessary.

**TO KILL ANTS:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**OUTDOORS - REDUCE ANNOYANCE FROM FLYING INSECTS AROUND PICNIC AND RECREATIONAL AREAS, HOMES AND INDUSTRIAL PLANTS.**

Kill mosquitoes, gnats (midges), house flies, horse flies, deer flies and flying moths (millars) by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

**TO KILL NUISANCE PESTS - ON OR ENTERING BUILDINGS:**

**WASPS AND HORNETS:** Direct Spray - Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places - contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.

**ANTS:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**SPIDERS:** Direct short burst of spray on spiders. Repeat as necessary.

**EARWIGS:** Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floors and doorway entrances. Repeat as necessary.

**IMPORTANT:** Sweep up all dead insects and deposit these sweepings into a closed garbage container within 24 hours after each treatment.

### KILLS:

HOUSE FLIES, MOSQUITOES, GNATS, WASPS, ROACHES, EARWIGS, SPIDERS, CENTIPEDES, ANTS, HORSE FLIES AND DEER FLIES.

### ACTIVE INGREDIENTS:

- \* + \* Resmethrin (5-(Phenylmethyl) methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate) ..... 0.200% w/w
- Related compounds ..... 0.028%
- #d-trans Allethrin (allyl homolog of Cinerin 1) .. 0.400%
- Related compounds ..... 0.030%
- Aromatic petroleum hydrocarbons ..... 0.264%
- Petroleum distillate ..... 6.500%

**INERT INGREDIENTS:** ..... 92.578%  
100.000%

\* Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

+ U.S. Patent Nos. 3,465,007 and 3,542,928.  
\* Penick's SBP-1382<sup>®</sup> brand of resmethrin insecticide, Penick Corp., 1050 Wall Street West, Lyndhurst, NJ 07071  
# Bioallethrin.

SHAKE WELL BEFORE USING

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
CONTENTS UNDER PRESSURE.  
SEE CAUTION ON BACK PANEL.

MANUFACTURED BY **WALSH** CORPORATION CHICAGO, ILLINOIS 60609

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In homes, cover or remove all exposed foods. Cover all food preparation surfaces during treatment or thoroughly clean before use. Remove pets, birds and cover fish aquariums before spraying.

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Do not store near heat or open flame. Do not reuse empty container. Wrap container and put in trash collection. Never throw container into fire or incinerator.

EPA Reg. No. 334-467

EPA Est. No. 334-IL-2

15