

BUG-BAN

RESIDUAL AND CONTACT SPRAY INSECTICIDE

A COMBINATION OF INSECTICIDES OFFERING GOOD FLUSHING ACTIVITY, QUICK KNOCKDOWN AND RESIDUAL KILL OF COCKROACHES FOR UP TO 4 WEEKS CAN BE USED IN NON FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

FOR RESIDUAL AND CONTACT CONTROL OF:
 COCKROACHES, CRICKETS, SILVERFISH, CLOVER MITES, CENTIPEDES, MILLIPEDES, FIREBRATS, EARWIGS, SOWBUGS, SPIDERS, BROWN DOG TICKS, LONE STAR TICKS, ANTS, CARPET BEETLES AND FLEAS

TO BE APPLIED ONLY BY OR UNDER THE SUPERVISION OF PEST CONTROL OPERATORS OR OTHER TRAINED PERSONNEL RESPONSIBLE FOR INSECT CONTROL PROGRAMS

CONTAINS METHANOL

ACTIVE INGREDIENTS

*Resmethrin [5-(phenylmethyl)-3-furyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate	3.20%
Chlorpyrifos [0-O-diethyl-O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	16.00%
Aromatic petroleum derivative solvents	13.32%
INERT INGREDIENTS	67.48%
	100.00% w/w

trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans
 U.S. Patent Nos. 3,465,007 and 3,542,928
 U.S. Patent No. 3,244,586

NET CONTENTS _____

DIRECTIONS FOR USE (Continued)

GENERAL INFORMATION

Mix this product with water in either one of the following ratios before use:

SPRAY DILUTION CHART

Water (Gallons)	Product (Ounces)	Dilution Ratio
1	1	1:1
2	1	2:1
3	1	3:1
4	1	4:1
5	1	5:1
6	1	6:1
7	1	7:1
8	1	8:1
9	1	9:1
10	1	10:1

NOTE: Do not use the concentrate at temperatures below 40°F. If the concentrate is exposed to temperatures below 40°F, warm to above 40°F and thoroughly mix before diluting with water. Do not expose the spray mixture to temperatures below 32°F. **SHAKE WELL BEFORE USE.**

NOTE: If you are using a tuberculostat, do not use this product.

CONTACT SPRAY: Use in non-food areas of food handling establishments. Cockroaches, Crickets, Silverfish, Carpet Beetles, Ants, Fleas, Spiders, Earwigs, Millipedes, Firebrats, and Sowbugs. Apply as a residual treatment along baseboards, under sinks, and in other areas where pests may be present. Old bedding, old papers, and old newspapers should be discarded and replaced with clean fresh bedding after treatment of pet areas. **DO NOT TREAT PETS WITH THIS PRODUCT.** Treat pets with a product registered for animal application to control the source of flea and tick infestation.

ANTS: To control ants, spray trails, nests and points of entry into buildings and homes. Spray directly on ants where possible. Repeat as necessary.

FLEAS, BROWN DOG AND LONE STAR TICKS: Thoroughly apply as a residual treatment to interior areas such as bedrooms and living quarters, including cracks and crevices, along and behind baseboards, window and door frames and under furniture. Do not use in food handling areas where these pests may be present. Old bedding, old papers, and old newspapers should be discarded and replaced with clean fresh bedding after treatment of pet areas. **DO NOT TREAT PETS WITH THIS PRODUCT.** Treat pets with a product registered for animal application to control the source of flea and tick infestation.

CARPET BEETLES: Thoroughly apply as a residual treatment along baseboards and under furniture. Do not use in food handling areas. Repeat as necessary.

ATTENTION (PESTS IN DOORS): Thoroughly apply this water-based product in conduits, utility housings, utility and switch boxes and other electrical equipment because of possible shock hazard. If there is need to treat such areas, use only in base sprays. Prior to application, deenergize electrical equipment. After application, allow time for air to evaporate before starting motors or plugging switches in the "ON" position.

RESIDUAL SPRAY: Acts in the control of cockroaches, crickets, silverfish, centipedes, millipedes, earwigs, sowbugs, ticks up to 4 weeks. Apply on baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards, in hallways and bathrooms. In treatment areas, apply in cracks and crevices, under walls and baseboards. Apply as a coarse wet spray. Do not treat or allow the spray to contact plants (lawns, flowering plants, shrubs, trees, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

GENERAL INFORMATION: Use this concentrate according to the SPRAY DILUTION CHART for the control of certain pests on the outside surfaces of buildings. Consult the following instructions for dosage and application details to control the pests listed.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control ants, silverfish, crickets, earwigs, millipedes, and sowbugs by application as a residual spray or with a paintbrush to outside surfaces of buildings, including porches, screens, window frames, eaves, bushes, garages, refuse dumps and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawns, flowering plants, shrubs, trees, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

NOTE: To help prevent infestation of buildings by ants, crickets, earwigs and sowbugs, apply a band of about 10 feet wide around and adjacent to the buildings, and the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use 10 gallons of this product per 100 square feet of area and apply as a coarse mist of the rate of about 10 gallons per 1000 square feet. Thoroughly and uniformly wet the band.

WARRANTY STATEMENT

Just recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, as implied or otherwise, is made as to the effects of such use. The results to be obtained if not used in accordance with directions or established sale practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse or such or in combination with other materials.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Harmful or fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or clothing. Wear goggles or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL & CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame. Flash point minimum 60°F.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Do not store at temperatures below 40°F. If exposed to temperatures below 40°F, warm to above 40°F and thoroughly mix before using.
PESTICIDE DISPOSAL: Pests, do not mix with water that cannot be used or according to other instructions must be disposed of according to Federal, State or local procedures.
CONTAINER DISPOSAL: Triple rinse or equivalent and offer for recycling or for incineration or disposal in a sanitary landfill or by other approved State and local procedures.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the directions on the label.

Only for Sale to, Use and Storage by Servicepersons.

ACCEPTED
 334-514
 APR 21 1982

KEEP OUT OF REACH OF CHILDREN

DANGER POISON

STATEMENT OF PRACTICAL TREATMENT

DANGER: Methanol may cause blindness, harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Avoid contact with skin. If swallowed, get immediate medical attention. If in eyes or on skin, FLUSH WITH PLENTY OF WATER. For eyes, get medical attention. **NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine only by injection is an antidote. **SEE LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.**

SHAKE WELL BEFORE USING

EPA Reg. No. 334-514

EPA Est. No. 334-011

MANUFACTURED BY
HYSAN CORPORATION
 CHICAGO ILLINOIS 60609