WATER-BAN
RESIDUAL AND CONTACT
SPRAY INSECTICIDE

A COMBINATION OF INSECTICIDES OFFERING
QUICK KNOCKDOWN AND RESIDUAL KILL OF
COCKROACHES FOR UP TO 4 WEEKS
CAN BE USED IN NON-FOOD AREAS
OF FOOD HANDLING ESTABLISHMENTS

FOR RESIDUAL AND CONTACT CONTROL OF:
COCKROACHES CRICKETS SILVERFISH CLOVER MITES
CENTIPEDES MILLIPEDES FIREBRATS EARWIGS
SOWBUGS SPIDERS BROWN DOG TICKS
LONE STAR TICKS ANTS, CARPET BEETLES AND FLEAS

TO BE APPLIED ONLY BY OR UNDER THE SUPERVISION OF
PEST CONTROL OPERATORS OR OTHER TRAINED PERSONNEL
RESPONSIBLE FOR INSECT CONTROL PROGRAMS

CONTAINS METHANOL

ACTIVE INGREDIENTS	
**†Resmethrin [5-(phenylmethyl)-3-furanyl] methyl-2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate	1.60%
★Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl)phosphorothioate]	1%
Aromatic petroleum derivative solvents	13.32%
INERT INGREDIENTS	69.08%
TOTAL	100.00%

**†Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans

†U.S. Patent Nos. 3,465,007 and 3,542,928
★U.S. Patent No. 3,244,586

NET CONTENTS_____

KEEP OUT OF REACH OF CHILDREN

DANGER **POISON**

STATEMENT OF PRACTICAL TREATMENT

DANGER: Methanol may cause blindness harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Avoid contact with skin. If swallowed, get immediate medical attention. If in eyes or on skin, FLUSH WITH PLENTY OF WATER. For eyes, get medical attention. **NOTE TO PHYSICIAN** Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine and/or by injection is an antidote.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

SHAKE WELL BEFORE USING

EPA Reg. No. 34704-[illegible] EPA Est. No. 34704-[illegible]

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Harmful or fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or clothing. Wear goggles or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS
This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL & CHEMICAL HAZARDS
Flammable. Keep away from heat and open flame. Flash point minimum 60°F.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store at temperatures below 40°F. If exposed to temperatures below 40°F, shake well before using.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only for Sale to, Use and Storage by Servicepersons.

For use in non-food areas indoors: Hotels, Motels, Apartment Buildings, Commercial, Office, Institutional, Industrial Buildings, Public Buildings, Ships, Cabins, and Hospitals. **IN HOSPITALS:** Remove patients during treatment; permit persons to return two hours before returning patients.

This product can be used in non-food areas of restaurants, cafeterias, lunchrooms, garages, warehouses, food processing plants, dairies, breweries, canneries, packing plants, bottling plants, grain mills, and other food processing establishments. Apply as a coarse spray to walls, floors, and other surfaces where these pests may be present. Do not apply to food, food processing surfaces, food preparation surfaces, or food packaging materials. Remove or cover exposed food before treatment. Remove pets, birds, cage pets, fish bowls, and pet feeding dishes before treatment. Do not contaminate water supplies.

Also for use in and around campers, motor homes, trailers and recreational vehicles. This product can be used in cargo spaces of buses, trucks and ships (cargo holds only) that are not used for transport of food or food products at any time.

Also for use in dog kennels and in the stables. Do not spray on dogs and horses. Do not treat bedding and nesting material.

NOTE TO PEST CONTROL OPERATORS: One gallon of spray is sufficient to treat 1,000 square feet with a 6 inch drop.

DIRECTIONS FOR USE (Continued)

GENERAL INFORMATION [illegible]

SPRAY DILUTION CHART

[illegible]	[illegible]
[illegible]	[illegible]

***NOTE** [illegible] temperatures below 32°F. SHAKE WELL BEFORE USING.

****NOTE** 1 fluid ounce = 2 tablespoons = 6 teaspoons.

ROACHES, CRICKETS, SILVERFISH, CLOVER MITES, CENTIPEDES, MILLIPEDES, FIREBRATS, EARWIGS, SOWBUGS, SPIDERS, BROWN DOG TICKS, LONE STAR TICKS, ANTS, CARPET BEETLES, ANTS, SPIDERS, FLEAS: Use as a spot treatment when possible. Spray [illegible] infestations. Apply as a coarse spray of [illegible] cracks and crevices, [illegible] floor drains, [illegible] openings around pipes and other [illegible] and other appliances, baseboards and storage areas. Apply spray until areas are thoroughly wet, but not to the point of run-off. Repeat as necessary.

ANTS: [illegible] ants, paying particular attention to points of entry into buildings and homes. Spray [illegible] ant trails. Spot. Repeat as necessary.

FLEAS, BROWN DOG AND LONE STAR TICKS: Thoroughly apply as a spot treatment to [illegible] flea/tick sites, such as pet's beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, and other areas of floor and floor coverings where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet areas. **DO NOT TREAT PETS WITH THIS PRODUCT.** Treat pets with a product registered for animal application to control the source of flea and tick infestation.

CARPET BEETLES: Thoroughly apply as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving and wherever else these pests are suspected.

ATTENTION (PESTS INDOORS): Do not apply this water based product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. If there is need to treat such areas use spray or base sprays. Prior to application of spray to electrical equipment, allow application and time for it to evaporate before starting motor or switching on the "ON" position.

RESIDUAL SPRAY: Apply for the control of Cockroaches, Crickets, Silverfish, Centipedes, Millipedes, Earwigs, Sowbugs, etc. up to 4 weeks. Apply on baseboards, cracks and crevices, and floor and wall voids, and other hiding places such as closets, [illegible] of exterior doors, windows and cupboards in kitchens and bathrooms, in basements, attics, crawl spaces, [illegible] and crevices, sewer vents and pipe places. Apply as a coarse spray to [illegible] thoroughly wet but not to the point of run-off. Treat on [illegible].

GENERAL INFORMATION: Use this concentrate according to the SPRAY DILUTION CHART [illegible] on the outside surfaces of buildings. Consult the following [illegible] of pests listed.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control ants, water [illegible], earwigs, millipedes, and sowbugs by application as a residual spray or with [illegible] to outside surfaces of buildings including porches, eaves, window frames, [illegible] garages, refuse dumps and other areas where these pests congregate or have been observed. Treat [illegible] on the soil or contact plants, lawns, covering plants, shrubs [illegible] etc. because of possible injury. Repeat treatment as needed to maintain [illegible].

NOTE: To help prevent infestation of buildings by ants, crickets, earwigs and sowbugs or fungus, treat a band of soil 6 to 12 feet wide around and adjacent to the buildings, also the building foundation to a height of 12 to 18 feet where pests are active and may find entrance. Use 2 ounces of this product per 100 gallons of water and apply as a coarse spray at the rate of about 10 gallons per 1000 square feet, thoroughly and uniformly wet the band.

WARRANTY STATEMENT

[illegible] recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility for handling, use, damage resulting from its misuse as such or in combination with other materials.

MANUFACTURED BY
HYSAN CORPORATION
CHICAGO, ILLINOIS 60609