

PM-13

334-562

1 8 2

NOV 1992

334-562
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Until Reregistration

KIL-R FOG-R Total Release
Fogging Insecticide

Hysan Corporation
4309 South Morgan Street
Chicago IL, 60609

161 5928 2.7
18

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Add the phrase "EPA Registration No. 334-562" to your label before you release the product for shipment.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy is enclosed for your records.

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

ENCLOSURES		CONCURRENCES					
SYMBOL							
JURNAME	Moats						
DATE							

72

EACH UNIT TREATS UP TO 6,000 CUBIC FEET
A BROAD-SPECTRUM INSECTICIDAL FOGGER
WITH SYNERGIZED PYRETHRINS FOR QUICK KNOCKDOWN
AND PERMETHRIN FOR VAPOR PENETRATION AND KILL

FEATURES CLAIMS, AND USES

FOR USE INDOORS: In Residential areas, including Homes, Apartments, Cabins, Garages, Campers, Boats, Alcos, Basements, Storage Areas, and Pet Areas, and in non-food/non-feed areas of Industrial, Institutional, Commercial, and Medical Buildings, including Warehouses, Factories, Offices, and Stores.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with eyes, skin, or clothing. In case of contact, flush with plenty of water. Wash with soap and water after use. Avoid contamination of food/foodstuffs. Do not apply directly to food. Do not use in food/food areas of food/food handling establishments, restaurants, or other areas where food/food is commercially prepared or processed. Do not use in serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and food storage areas (after canning or bottling).

Not for use in USDA Meat and Poultry Plants.

STATEMENTS OF PRACTICAL TREATMENT (FIRST AID)

GENERAL: QUICKLY follow directions below AND call a Poison Control Center (or physician or emergency department). Always get quick medical attention for ANY ill effects which continue (or show up later).

IF IN EYES: Flush eyes with plenty of water while removing any contact lenses, then hold eyelids open and flush eyes thoroughly with water. Get medical attention if irritation persists.

IF ON SKIN, CLOTHING, ETC.: Remove any contaminated clothing, shoes, jewelry, etc. (clean them thoroughly before wearing), and wash affected skin with soap and water.

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with a finger. Repeat until vomit fluid is clear. Call a physician immediately. Do NOT induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: If ill, IMMEDIATELY get victim fresh air and medical attention. Keep them breathing; apply artificial respiration if necessary.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic organisms. Do not contaminate water by direct application or disposal of wastes.

PHYSICAL/CHEMICAL HAZARDS

Flammable under pressure. Keep away from heat, sparks, and open flames. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEFORE FOGGING: Find and dispose of all infested food/foodstuffs. Cover or remove all exposed food/foodstuffs and any surfaces they may contact. Remove all people and pets (including birds), and cover nonremovable aquariums, etc. during treatment and ventilation. For control of fleas and ticks, remove and destroy (or thoroughly clean) old pet bedding. Isolate treatment area. Close all doors, windows, etc. on the perimeter, and shut off all ventilation equipment. Open diesel and cabinet doors, drawers, etc. in area.

TURN OFF ALL IGNITION SOURCES IN AND NEAR TREATMENT AREA, including flames, pilot lights, gas igniters, sparking/arcing devices, red-hot surfaces, electric appliances, etc. Subdivide treatment area into sections no larger than 6,000 cu ft (30 x 25 x 8 ft; 8 x 8 x 2 1/2 m; 170 m³). Cover floor and nearby items in center of each section, using polyethylene sheet or thick newspapers.

TO FOG EACH SECTION: SHAKE A FOGGER CAN THOROUGHLY and place it upright on covered floor/bedding in center of section. Do not use this unit in a cabinet, under a counter or table, or in an area less than 100 cu ft. Keeping face away from spray opening, activate continuous spray by pressing spray button until it locks. Repeat in any other sections, then leave treatment area.

AFTER FOGGING: Keep treated areas closed off for 4 hours, then open outside doors/windows and allow area to air out for 30 minutes (2 hours for medical care areas) before resuming occupancy or turning on ventilating equipment and ignition sources. Wash any food-contact surfaces with an effective cleaning compound, followed by a potable (drinking) water rinse. Before they return to fogged area, treat pets with a product registered for flea and tick control on pets, and put clean bedding in their areas. Repeat spraying in two weeks (or when necessary).

STORAGE AND DISPOSAL

GENERAL: Do not contaminate other materials (including water/food/food) during transport, use, storage, and disposal. If damaged or leaking, soak up and wrap any waste, then dispose of as below.

STORAGE: Keep in a cool, dry, locked area inaccessible to children and away from sources of heat and ignition (including flames, sparks, hot surfaces, and sunlight).

DISPOSAL: Retain protective cap on container, securely wrap in several layers of newspaper, and discard in trash; do not incinerate or puncture.

kil-r fog-r

TOTAL RELEASE
FOGGING INSECTICIDE

ACTIVE INGREDIENTS:

Permethrin 0.400%
Related compounds 0.005%
Pyrethrins 0.079%
N-Octyl bicyclohexane dicarboximide 0.450%

INERT INGREDIENTS

89.115%
TOTAL 100.000%

(1) 3-Phenylphenylmethyl (1)ide, trans-3-(2,2-dichloroethoxy) 2,2-dimethylpropanecarboxylate with maximum 65% (1)thans and minimum 35% (1)diolomers.

Kills: Ants, Cockroaches, Crickets, Fleas, Houseflies, Mosquitoes, small flying Moths, Rice Weevils, Saw-toothed Grain Beetles, and Ticks.

EPA Reg. No. 334-

EPA Est. No. 334-IL-2

KEEP OUT OF REACH OF CHILDREN.
CAUTION

SEE ADDITIONAL PRECAUTIONARY AND PRACTICAL TREATMENT (FIRST AID) STATEMENTS ON BACK PANEL

NET WT 6 OZ (170 g)

MANUFACTURED BY
Hyson TM Chicago, IL
Blue Island, IL
CORPORATION Carterville, GA
Waco, TX

60008
60406
30120
76712

1002 Made In U.S.A. 55404

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
in EPA Letter Dated

NOV - 5 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
(amended for the purpose
of enforcement under EPA Reg. No.

334-562