

CONCENTRATED TABLET PENNSWIM

ACTIVE INGREDIENTS: CHLORINE (100% available chlorine) (100%)

BACTERICIDE - ALGAEICIDE - DISINFECTANT

PENNSWIM® POOL GLO®

DIRECTIONS FOR SWIMMING POOL USE

This product provides a fast, effective, and safe method for maintaining swimming pools. To obtain the best results, use this product in pools that are 75°F or above. The product is a powerful bactericide, algicide, and disinfectant. It is safe for use in swimming pools and is approved by the U.S. Food and Drug Administration. For more information, see the accompanying literature.

Pool Size In Gallons	Number of Tablets	Amount of Chlorine Added to Pool
5-15,000	1	10
10-20,000	1 1/2	24
20-30,000	1 1/2	36
40,000	1 1/2	48
50,000	1 1/2	50

DISPENSER DISPOSABLE DISPENSER

For use in swimming pools, this dispenser provides a convenient and safe method for adding chlorine to the pool. The dispenser is made of plastic and is designed to hold up to 100 tablets. It is easy to use and provides a consistent amount of chlorine to the pool. The dispenser is approved by the U.S. Food and Drug Administration. For more information, see the accompanying literature.

PENNSWIM DEPARTMENT • PENNSWIM CORPORATION • PHILADELPHIA, PA. 19106

10-76 In U.S.A.

4-11-77

Printed in U.S.A.

PENNSWIM® POOL CLOR® CONCENTRATED TABLET DISPOSABLE DISPENSER

DIRECTIONS FOR SWIMMING POOL USE

This dispenser provides a convenient method of maintaining pool water at the proper chlorine level. To obtain proper chlorine levels, the dispenser should be placed in the pool recirculation pump system. The dispenser will automatically add five tablets per day to the pool water. The dispenser is made of plastic and is safe for use in swimming pools. The dispenser is made of plastic and is safe for use in swimming pools. The dispenser is made of plastic and is safe for use in swimming pools.

Pool Size In Gallons	Number of Tablets Per Day	Number of Tablets Per Week
6-10,000	1	7
10-20,000	1 & 1/2	10 & 1/2
30,000	1 & 1/2	10 & 1/2
40,000	1 to 2	7 to 14
50,000	1 to 3	7 to 21

Function: The two bottom holes (1 1/4" in diameter) and all material inside 3/4" in diameter. Place the dispenser in a recirculation system. The dispenser will automatically add five tablets per day to the pool water. The dispenser is made of plastic and is safe for use in swimming pools. The dispenser is made of plastic and is safe for use in swimming pools.

PENNSWIM DEPARTMENT • PENNSWIM CORPORATION • PHILA., PA. 19102

Made In U.S.A.

4-07-61

Printed In U.S.A.

PENNSWIM® POOL CLOR® CONCENTRATED TABLET DISPOSABLE DISPENSER

DANGER! CAUSES EYE DAMAGE. MAY CAUSE CHEMICAL BURNS. CAUSES IRRITATION OF SKIN, NOSE AND THROAT. DO NOT GET IN EYES. MAY BE FATAL OR LETHAL IF SWALLOWED. STRONG OXIDANT—WASH THOROUGHLY AFTER HANDLING. MIXTURE WITH OTHER CHEMICALS OR MOISTURE CONTAMINATION MAY CAUSE FIRE AND EXPLOSION RESULTING IN SERIOUS INJURY.

NEVER MIX WITH ANY OTHER MATERIALS. CONTACT WITH COMBUSTIBLE MATERIAL, MOISTURE OR CONTAMINATION WITH ANY OTHER FOREIGN MATERIAL MAY CAUSE FIRE OR DECOMPOSITION WITH LIBERATION OF HEAT AND TOXIC GASES. NEVER MIX WITH ANY OTHER POOL CHEMICALS.

ANTIDOTE: EXTERNAL—WASH THOROUGHLY WITH WATER.

FOR EYES GET PROMPT MEDICAL ATTENTION. INTERNAL—IF SWALLOWED, DRINK PROMPTLY A LARGE QUANTITY OF MILK, EGG WHITE, CREAM, STARCH OR OIL. DO NOT TAKE ANY OTHER MEDICINE OR DRUGS. AVOID ALCOHOL, CIGARETTES AND SMOKE. GO TO A PHYSICIAN. IF SWALLOWED, DO NOT INDUCE VOMITING. THE USE OF ORAL MEDICINE MAY BE HELPFUL AGAINST GERMINATION OF BACTERIA AND PREVENTION OF DIARRHEA AND COLIC.

**DO NOT REMOVE
TOP**

4-07-61

POOL-CLOR


DIRECTIONS FOR USE

The cup in this package is a convenient measuring device. A level cupful holds 4 ounces of POOL-CLOR. For each 20,000 gallons of pool water add one level cupful each day during the first four or five weeks. Thereafter adjust the quantity of daily additions to maintain 0.6 to 1.0 ppm residual chlorine using a swimming pool test kit. For average pool conditions, this quantity will be 1/2 ounce per 5,000 gallons per day. Higher temperatures or increased bathing loads may require larger or more frequent dosages. Pool water should be maintained at a pH of 7.2 to 7.6 for best results.

POISON

ANTIDOTE

CALL PHYSICIAN. External: Wash thoroughly with water. For eyes get prompt medical attention. Internal: Drink raw egg white, milk or rice gruel. Follow with emetic (tablespoonful mustard in glass of water.)



POOL-CLOR

FOR

SWIMMING POOLS

U.S.D.A. Reg. No. 335-171

POOL-CLOR

WARNING!

STRONG OXIDIZING AGENT. NEVER MIX WITH ANY OTHER MATERIAL IN DRY OR LIQUID FORM BEFORE ADDITION TO POOL. CONTACT WITH HEAT, MOISTURE, FOREIGN MATERIALS, OR CONTAMINATION FROM ANY SOURCE MAY RESULT IN FIRE. Will burn with evolution of chlorine and equally toxic acid gases. May be fatal if swallowed. May cause skin irritation. Store in a COOL, DRY place. Do not get in eyes or on skin. Avoid breathing dust. Keep cover closed when not in use.

This product because it contains over 10% available chlorine is required by law to be labeled "POISON." The recommended solutions are not classified as poisonous.

DOT Description: Potassium dichloroisocyanurate, dry, containing more than 39% available chlorine.

POTASSIUM DICHLOROISOCYANURATE
 CAS NO. 157-82-6
 EC NO. 201-101-6

NET WT. 4 OZ. (113.3g)
 1/2 CUP FUL