

ACCEPTED  
 8-3-71  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC PEST CONTROL

# STERICIDE SANITIZER



# STERICIDE™ SANITIZER

This is a high-quality product of the quaternary group and is intended for use as a sanitizer of eating and drinking utensils, for glasses in bars (as required in all states) and any place a disinfectant or sanitizer is required. STERICIDE SANITIZER is effective at 200 ppm quaternary strength in waters up to 550 ppm (32 grains per gallon) hardness calculated as CaCO<sub>3</sub> when tested by the Chambers' modification of the Weber Black Technique as outlined by the U. S. Public Health Service.

**WARNING:** Causes skin irritation. May cause eye injury. Do not get in eyes or on skin. Wear goggles and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

**FIRST AID:** In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes, then promptly get medical attention. In case of skin contact, flush skin with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting, drink large quantities of fluids and get medical attention immediately.

U.S.D.A. Reg. No. 335-175

<b>ACTIVE INGREDIENTS</b>	<b>PHENOL COEFFICIENTS</b>
n-alkyl (C <sub>14</sub> • C <sub>12</sub> • C <sub>16</sub> ) dimethyl benzyl ammonium chlorides . . . . . 10.25%	(A.O.A.C. method)
<b>INERT INGREDIENTS</b>	S. typhosa . . . . . 50
Water . . . . . 89.75	S. aureus . . . . . 75

**WARNING: Keep out of reach of Children.**

See side panel for further warnings

**NET CONTENTS** \_\_\_\_\_ GAL  
 SPECIAL CHEMICALS DEPARTMENT  
 PENNWALT CORPORATION  
 PHILADELPHIA, PA. 19102

## DIRECTIONS

### DILUTION TABLE

Purpose	Strength	Amt. of Stericide
Sanitize	200 ppm	1 fluid oz. to 4 gal.
Disinfect nonporous surfaces	400 ppm	1 fluid oz. to 2 gal.
Disinfect porous surfaces	400 ppm	1 fluid oz. to 1 gal.

**EATING & DRINKING UTENSILS:** Wash thoroughly in hot water, then immerse for 2 minutes in 200 ppm solution prepared by local health departments in a 200 ppm solution. Allow to air dry, do not use a towel. Use a portable water container as required by regulatory agencies.

**GENERAL DISINFECTION & SANITIZING:** After cleaning, disinfect with a 400 ppm or 500 ppm solution, see Dilution Table. For general sanitizing use a 200 ppm sanitizing solution.

**MEAT & OTHER FOOD PLANTS:** The maximum safe water concentration of quaternary ammonium salts with all meat and poultry is established as 200 ppm active quaternary. Clean and sanitize equipment thoroughly. Wash with 200 ppm solution. Flush equipment with clean water, rinse before reuse.