
PENNWALT
CHLORINE
 LIQUIFIED GAS UNDER PRESSURE
 NON-FLAMMABLE

For Manufacturing or Formulating Use Only
 For Use By Experienced Personnel Only

Active Ingredient—Chlorine 99.5%
 Inert Ingredients .5%

KEEP OUT OF REACH OF CHILDREN.
DANGER POISON

FIRST AID

If inhaled, remove to fresh air. If not breathing, give artificial respiration immediately, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician. In case of contact, immediately flush eyes or skin with water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash clothing before reuse. Discard contaminated shoes.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Hazardous liquid and gas under pressure. May be fatal if inhaled. Causes severe burns. Harmful if absorbed through skin. Keep away from heat and open flame. Do not breathe gas. Use with adequate ventilation. Do not get in eyes or on skin or on clothing. Wash thoroughly after handling. Keep upwind of leak. Evacuate enclosed places until gas has dispersed. Make daily inspections for leaks. Stop leak at once since it will become worse with time.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact your regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARD:

Chlorine is a non flammable gas. In the container it is liquefied gas under pressure. Do not heat container. Do not drop container. Chlorine is an oxidizer and should not be stored near flammable materials.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with the labeling. Have available gas masks approved by the U.S. Bureau of Mines or the National Institute for Occupational Safety and Health. Handle and use only in accordance with practice recommended in the Chlorine Manual published by the Chlorine Institute, Inc., New York. Use only in well ventilated areas.

Only specially designed dispensing equipment should be used and only in accordance with manufacturers instructions.

MANUFACTURED BY
PENNWALT CORPORATION
PHILADELPHIA, PA. 19102

Net Weight Tank Car _____ Tons EPA REG NO 335 178

EPA EST NO 4581 WA 1

ACCEPTED
 OCT 22 1981
 Under the Federal Insecticide,

EPA Reg No. **335-178**

ACCEPTED


OCT 22 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. **335-178**

STORAGE & DISPOSAL

Keep containers away from heat

Cross Section of Tank Car Container Valve



LIQUID VALVE

OBSERVE THE FOLLOWING WHEN OPENING THIS VALVE

1. INSPECT VALVES FREQUENTLY. TIGHTEN PACKING GLANDS WHEN NECESSARY
2. BEFORE RETURNING CAR CLOSE ALL VALVES. LUBRICATE AND REPLACE 1" OUTLET PLUG BY HAND

NOTE BELOW ANY TROUBLES WITH THIS VALVE AND LEAVE TAG ON VALVE

2-0804T-B01