



## **DIRECTIONS:** Udder Washing and Sanitizing.

- 1. Prepare BIO-K solution in plastic pail using ½ ounce in 2½ gallons of warm water (110° to 115°F).
- 2. Using a clean paper towel for each cow, wash and massage teats and udder with this solution approximately one minute before machine is applied. (If udder is extremely dirty, wash off excess dirt and soil with warm water prior to washing with BIO-K solution.)
- 3. Press excess solution from towel and use reverse side to dry teats and udder.
- 4. Check each quarter of udder with strip cup before applying machine.
- 5. Sanitize milking machine teat cups before applying to each cow. Dip in BIO-K solution containing 25 ppm titratable iodine.

BIO-K DILUTIONS: 1 ounce in 5 gallons water—25 ppm titratable iodine.

NOTE: Discard BIO-K washing and sanitizing solutions when the brown lodine color disappears. Prepare fresh solutions each time used.

HP 2 12-75-H

4-1174-01

Made and Printed in U.S.A.

# Sanitizer • Detergent

### **ACTIVE INGREDIENTS:**

Alpha-(p-Nonylphenyl)-omega-hydroxypoly (oxyethylene) iodine complex (providing minimum of 1.75% titratable iodine) ........ 16.10% Phosphoric Acid ...... 14.25% INERT INGREDIENTS ..... 69.65%


KEEP OUT OF REACH OF CHILDREN DANGER: (Read Precautions and First Aid on Side Panel)

EPA REG. NO. 335-179

EPA EST. NO. 335-PA-1

For Industrial Use Only

there in the chief the man is republished



## nitizer • Detergent

### /E INGREDIENTS:

DANGER: KEEP OUT OF REACH OF CHILDREN (Read Precautions and First Aid on Side Panel)

EG. NO. 335-179

EPA EST. NO. 335-PA-1

For Industrial Use Only

IIIIIIII Net. Wt. 1 Gallon

Constitution of a similar

**BIO-K**, properly applied in an udder sanitation program will aid in reducing the spread of organisms associated with Mastitis from cow to cow. Washing and massaging the udder will encourage the milk let-down and result in faster milking.

**DANGER:** KEEP OUT OF REACH OF CHILDREN. CORROSIVE TO TISSUES. CAUSES EYE DAMAGE AND SEVERE SKIN IRRITATION. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probably mucosol damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be be needed.

Do not re-use empty BIO-K container. Destroy by perforating or crushing. Bury or discard in safe place.

U.S. Pat. Nos. 2,931,777: 2,977,315

**泛PENNCHEM** 

Pennchem Dept., Pennwalt Corp., Phila., Pa. 19102