# **PENNMALT**

## ETERIE EAN

## IRECTIONS FOR USE:

OSPITALS—For floors, walls and other hard surfaces. In Nursing Homes, Intutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use fericide Sanitizer at 3½ ounces per 5 gallons of water. At this level Stericide unitizer will be effective against Pseudomonas aeruginosa PRD-10.

OOD PROCESSING EQUIPMENT—For sanitization of food processing equipment and food utensils dilute 1 ounce Stericide Sanitizer per 4 gallons of water to rovide 200 ppm of active quaternary. At this level, No Potable Water Rinse is equired.

AIRIES—To sanitize dairy equipment, first clean and rinse the equipment thorughly. Then apply sanitizing solution containing 1 ounce Stericide Sanitizer to 4 cilons of water (200 ppm). At this level, No Potable Water Rinse is required. How recommendations of local Health Board.

EAT AND POULTRY PLANTS—For sanitizing cleaned food processing equipment or utensits in Federally inspected meat and poultry processing plants, dilute 1 unice Stericide Sanitizer per 4 gallons of water (200 ppm). At this concentration, a Potable Water Rinse is required after thorough draining of the sanitizing plution.

OLD DISINFECTION—For disinfection of previously cleaned surgical instrutions, barber tools and dental equipment, simply submerge instruments into obtion containing 1½ bunce Stericide Sanitizer per gallon of water.

HESTAURANT AND BAR RINSE—Dishes, glassware, silverware, cooking utenins, wash with seep or synthetic detergent; rinse thoroughly and immerse in a partitizing solution containing 1 ounce Stericide Sanitizer to 1 gattons of water. No incriminal Potable Water Rinse Required.

PA REG. NO. 535-202

EPA EST. NO 335-OH-1

## Disinfectant Deodorizer Sanitizer

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION. Do not get in eyes, skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food. Stericide is a concentrate and should be diluted before using. (See side panel for First Aid.)

**Net Contents** 

Gals.

\_\_\_\_\_

FOR INDUSTRIAL USE ONLY

4-9349B 03 JO

92

Made and Printed

PANNOHEM DEPAY: MANIC C. PENNA ALTO CORPORATION CORPORATION



## tant

## zer

C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>) 5% emmonium chlorides 5%

CHILDREN. CORROSIVE. Do not get in eyes, skin or rarmful if swallowed. Avoid and should be diluted before

is.

E ONLY

Milde and Printed 1. 54

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use. If swallowed, do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may control dicate the use of gastric lavage. Measure against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard.

SPILL OR LEAK: In case of spill, flush spill area with water spray.

## STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

## Pesticide Disposal

Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed in a landfill approved for pesticides or buried in a safe place away from water supplies.

## Container Disposal

Triple rinse with water and dispose of in an approved landfill or bury in a safe place.

### Generi

Consult federal, state or local disposal authorities for approved alternative procedures.

CHEMICALS FOUNDMENT
HEALTH PROPUCTS

93

