



USE DIRECTIONS:

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use Caled Disinfectant Cleaner with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm. (2.8 ounces per 5 gals.) NO RINSE REQUIRED.

For heavy soil or organic matter, a precleaning step is recommended.

This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A2, Herpes Simplex, Adenovirus type 2, and Vaccinia Viruses.

PHENOL COEFFICIENTS:

| | Guaranteed | Minimum |
|------------|------------|---------|
| S. aureus | | 42 |
| S. typhosa | | 27 |

Rinse empty container thoroughly with water and discard.

The information supplied herein may be utilized with no warranty, expressed or implied, concerning its use other than indicated on the label. Statements concerning the use of these products are not to be construed as recommending the infringement of any patent, and no liability for infringement arising out of any such use is assumed.



CALED DISINFECTANT CLEANER
Cleaner • Deodorizer • Disinfectant • Fungicide

Designed for Hospital and Institutional Use

ACTIVE INGREDIENTS:

| | |
|--|----------------|
| n-Alkyl (60%C14, 30%C16, 5%C12, 5%C18) dimethyl benzyl ammonium chlorides | 2.25% |
| n-Alkyl (68%C12 32%C14) dimethyl ethylbenzyl ammonium chlorides | 2.25% |
| Sodium Carbonate | 3.00% |
| INERT INGREDIENTS: | 92.50% |
| | 100.00% |

NET CONTENTS: _____ EPA Reg. No. 10666-3

DANGER
Keep out of Reach of Children
See Right side panel for additional precautionary statements.

CALED DEPARTMENT
PENWALT
BRENTWOOD, MD. 20722

Caled Disinfectant Cleaner is for institutional use, such as SCHOOLS where housekeeping the hazard of cross-infection. Disinfectant Cleaner can provide the disinfection directed. For use on floors, rooms, bed pans and operating tables. Effective against Staphylococcus aureus, Salmonella choleraesuis, and other pathogens. Effective against pathogenic fungi.

When used for sanitization of food contact items, limit active quaternary to 200 ppm. Rinse is required.

Keep out of reach of children
Causes severe eye and skin irritation. Avoid contact with clothing. Wear goggles and gloves when handling. Harmful or fatal if swallowed. Do not eat or drink food.
In case of contact, immerse in water for at least 15 minutes. Wash all contaminated clothing with large quantities of water.

335-210
ACCEPTED
 17 1973
 FEDERAL INSECTICIDE
 AND RODENTICIDE ACT
 THE PUNSON

will be effective against
 has been substantiated
 this level, the product is
 with a cloth or mop and
 contact items, limit the
 per 5 gals.) NO RINSE

is recommended.
 mate, hard surfaces at 2
 Influenza A2, Herpes

discard.

no warranty, expressed
 in the label. Statements
 construed as recommending
 ringement arising out of



CALED DISINFECTANT CLEANER
 Cleaner • Deodorizer • Disinfectant • Fungicide

Designed for Hospital and Institutional Use

ACTIVE INGREDIENTS:

| | |
|--|----------------|
| n-Alkyl (60%C14, 30%C16, 5%C12, 5%C18) dimethyl benzyl ammonium chlorides | 2.25% |
| n-Alkyl (68%C12 32%C14) dimethyl ethylbenzyl ammonium chlorides | 2.25% |
| Sodium Carbonate | 3.00% |
| INERT INGREDIENTS: | 92.50% |
| | <u>100.00%</u> |

NET CONTENTS: _____ EPA Reg. No. 10666-3

DANGER
Keep out of Reach of Children
 See Right side panel for additional precau-
 tionary statements.

CALED DEPARTMENT
PENWALT
 BRENTWOOD, MD. 20722

Caled Disinfectant Cleaner is a cleaner, disinfectant, and sanitizer designed for institutional use, such as HOSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. Caled Disinfectant Cleaner can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of food processing equipment and food contact items, limit active quaternary to 200 ppm. At this level No Potable Water Rinse is required.

DANGER
Keep out of Reach of Children
 Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.
FIRST AID
 In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.