

2 Dry Chlorinating Chemical for Swimming Pools

BAECIDE • BACTERICIDE • DISINFECTANT

ACTIVE INGREDIENT: Sodium Dichloro-s-Triazinetrione Dihydrate (Sodium Dichloroisocyanurate Dihydrate)

56%

100%

DANGER: KEEP OUT OF REACH OF CHILDREN

For FIRST AID and other PRECAUTIONS see SIDE PANEL

AVAILABLE CHLORINE

ECTIONS FOR USE

Pool-Clor No. 2 Dry Chlorinating Chemical is a fast dissolving granular powder for continuous chlorination of swimming pool water.

For pool start-up, first adjust the pH of water to 7.2-7.6 with a proper additive such as Pennswim Aquet* or Dry Acid according to the instructions on their label, then add 2-8 ounces of Pool-Clor No. 2 Dry Chiorinating Chemical for each 10,000 gallons of water to satisfy the chlorine demand of the water and reach the initial chlorine residual of 0.6 ppm (stabilized pool requires 1.0 ppm). For the stabilization of chlorine in the pool, add Pennswim Pool Stabilizer (following the directions for use on its label) at the beginning of the pool season.

Costinue with 2-3 ounces of Pool-Clor No. 2 Dry Chlorinating Chemical per 10,000 gallons of water as necessary to maintain the minimum chlorine residuals. Always maintain the residual chlorine level at 0.6-1.0 ppm for residuals. Always maintain the residual chlorine level at 0.6-1.0 ppm for non-stabilized and 1.0-1.5 ppm for stabilized pools, determined by daily or more frequent checks with a reliable chlorine test kit. pH of the pool water should be maintained in the 7.2-7.6 range as determined by daily checks with a test kit. Variations in temperature, sunlight, organic matter (leaves, grass, dust, etc.) and bathing loads will influence the rate of chlorine consumption and determine the frequency of Pool-Clor No. 2 Dry Chlorinating Chemical dosages.

EPA Reg. No. 335-212 EPA Est. No. 9157-Mi-1

4-6050-05

RGANIC CHEMICALS DÍVISION • PENNWALT CORPORATION • PHILA.. PA. 19102

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE TO TISSUES. MAY BE FATAL OR HARMFUL IF SWALLOWED. MAY PRODUCE CHEMICAL BURNS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. MAY CAUSE EYE DAMAGE. MAY CAUSE IRRITATION TO NOSE AND THROAT. DO NOT BREATHE DUST OR INHALE.

OXIDIZING MATERIAL: NEVER MIX WITH ANY MATERIALS OTHER THAN WATER. CONTACT WITH FOREIGN MATERIAL, HEAT, MOISTURE OR ANTAMINATION FROM ANY SOURCE MAY RESULT IN EXPLOSION OR LE OF GREAT INTENSITY WITH THE LIBERATION OF HAZARDOUS AND IRRITATING GASES. DO NOT REPACK. USE ONLY A CLEAN, DRY CONTAINER OR DISPENSER. NEVER MIX WITH ANY OTHER POOL OR HOUSEHOLD CHEMICALS. STORE IN DRY COOL PLACE IN ORIGINAL CONTAINER WITH COVER CLOSED. DISPOSE OF SPILLED POOL-CLOR NO. 2 DRY CHLORINATING CHEMICAL BY FLUSHING WITH WATER. POOL-CLOR NO. 2 DRY CHLORINATING CHEMICAL DECOMPOSES AT 350-475°F WITH LIBERATION OF HARMFUL GASES.

RINSE EMPTY CONTAINER AND LINER THOROUGHLY WITH WATER AND DISCARD IT.

THIS PRODUCT IS TOXIC TO FISH. TREATED EFFLUENT SHOULD NOT BE DISCHARGED WHEN IT WILL DRAIN INTO LAKES, STREAMS, PONDS OR PUBLIC WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THE LABEL.

FIRST AID: IN CASE OF SKIN OR EYE CONTACT, FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION FOR EYES. IF SKIN IRRITATION PERSISTS, GET MEDICAL ATTENTION. CLEAN CONTAMINATED CLOTHING BEFORE REUSE. INTERNAL—FEED GRUEL OR COOKED CEREAL FOLLOWED BY OLIVE OIL OR COOKING OIL CALL YSICIAN IMMEDIATELY.



No.2 Dry Chlorinating Chemical for Swimming Page

ALGAECIDE • BACTERICIDE • DISINFEC...

ACTIVE INGREDIENT: Sodium Dichloro-s-Triazinetrione Dihydrate (Sodium Dichloroisocyanurate Dihydrate)

56%

100%

AVAILABLE CHLORINE

DANGER: KEEP OUT OF REACH OF CHILDREN For FIRST AID and other PRECAUTIONS see SIDE PANEL

40

sold by INORGANIC CHEMICALS DIVISION • PENNWALT CORPO