ACCTPTED
- : 7 1982

### **DIRECTIONS FOR USE:**

GENERAL CLASSIFICATION It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- Wash and rinse soiled tabrics in usual manner.
   Adjust water level for sour operation.
- 2. Add ERUSTOCIDE directly to the washwheel and run for 6 minutes minimum
- 3. Drain washwheel, extract and finish in the usual manner.
- In order to insure continued control of mildew growth, fabric should be retreated after every laundering.

Prevents the growth of mildew for the following periods when fabrics are treated according to directions for use:

Protection (Days) 14 to 21 21 to 28

28

Dose Rate (oz./cwt.)
1/2 to 1
1/2 to 1
1/2 to 2



# ERUSTOCIDE LAUNDRY SOUR-MILDEWCIDE

#### **ACTIVE INGREDIENT:**

2-n-octyl-4-isothiazolin-3-one

3.25%

INERT INGREDIENTS including inorganic fluoride

96.75% 100.00%

100.0

KEEP OUT OF REACH OF CHILDREN.

## **DANGER**

See Side Panel for Additional Precautionary Statements

FOR USE ONLY IN INSTITUTIONAL, INDUSTRIAL, AND COMMERCIAL LAUNDRIES

EPA Reg. No. 335-220

EPA Est. No. 335-CA-1




Net Contents \_\_\_\_lbs. (\_\_\_\_kg

6 3116 02

Maide and Printed in U.S.A.

Textile Chemicals Department • Pennwalt Corporation •







# ERUSTOCIDE LAUNDRY SOUR-MILDEWCIDE

## ACTIVE INGREDIENT:

ot

·1-

or.

el

Jal

iew.

ery

dı-

2-n-octyl-4-isothiazolin-3-one 3.25% INERT INGREDIENTS including inorganic fluoride 96.75% 100.00%

KEEP OUT OF REACH OF CHILDREN.

### DANGER

See Side Panel for Additional Precautionary Statements

FOR USE ONLY IN INSTITUTIONAL, INDUSTRIAL.
AND COMMERCIAL LAUNDRIES

EPA Reg No 335-229 . EPA Est. No. 335-CA-1

Net Contents \_\_\_\_ibs. (\_\_\_\_kg)

6.3\*16-02 Made up 1 Printed in U.S.A.

#### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: KEEP OUT OF REACH OF CHILDREN CORROSIVE CAUSES EYE DAMAGE AND SKIN IBRITATION MAY BE FATAL IF SWALLOWED. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Keep container closed. Use with adequate ventilation. Avoid breathing dust.

# STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

If swallowed, do NOT induce vomiting. Give plenty of milk and contact a physician immediately.

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Consult a physician immediately. Flush skin with water. Destroy contaminated shoes. Launder clothing before re-use.

storage and disposal: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container

Pesticide. Spray Mixture or rinsate that cannot be used, or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies

Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place

Consult Federal. State or Local disposal authorities for approved alternative procedures such as limited open burning.

micals Department • Pennwalt Corporation • Phila., Pa. 19102

EPA Est. No. 335-OH-1