

337-29

With Comments

STERODINE

STERODINE, an iodine complex with strong germicidal properties.

STERODINE is not decreased in biocidal activities in the presence of hard water.

STERODINE is free rinsing; does not stain textiles, skin or hard surfaces.

STERODINE is self-indicating. The germicidal efficiency of STERODINE is indicated by its amber color in solution. An important safety feature is that the color fades as its germicidal action decreases, indicating when the solution should be changed.

STERODINE is recommended for use in schools, hospitals, institutions, food processing plants, restaurants and bars, etc., since iodine has been found to be effective in controlling the following organisms:

- Escherichia coli
- Micrococcus pyogenes var. aureus
(staph. aureus)
- Tubercle bacilli
- Paralytic poliomyelitis virus
- Salmonella choleraesuis
- Newcastle virus
- Proteus vulgaris

Manufactured by

Lester Laboratories,

INCORPORATED

• ATLANTA, GEORGIA •

PLANT: EAST POINT, GEORGIA



STERODINE

CONCENTRATED IODINE SANITIZER DETERGENT GERMICIDE

ACTIVE INGREDIENTS Total 22
 Nonylphenoxypolyethoxyethanol-iodine complex (equivalent to 1.75% or 17,500 p.p.m. available iodine), phosphoric acid, citric acid.

INERT INGREDIENTS Water, not over 77%

CAUTION: Keep out of the reach of children

READ DIRECTIONS CAREFULLY

USE AS DIRECTED

AVOID CONTAMINATION OF FOOD

CONTENTS 1 GALLON

ACCEPTED WITH COMMENTS



**STERODINE
CONCENTRATED
IODINE SANITIZER
DETERGENT GERMICIDE**

ACTIVE INGREDIENTS Total 22.25%
 Nonylphenoxypolyethoxyethanol-iodine complex (equivalent to 1.75% or 17,500 p.p.m. available iodine), phosphoric acid, citric acid.

INERT INGREDIENTS Water, not over 77.75%

CAUTION: Keep out of the reach of children

READ DIRECTIONS CAREFULLY
 USE AS DIRECTED
 AVOID CONTAMINATION
 OF FOOD
 CONTENTS 1 GALLON

DIRECTIONS

Dilute with either cold or warm water (do not use hot water over 100° F). Do not mix with soap or alkaline materials. Articles to be sanitized should be in contact with STERODINE solution for at least two minutes.

HOSPITALS: STERODINE solution is recommended for general housekeeping uses to clean and sanitize floors, walls, bathroom fixtures, etc., and a sanitary rinse of glasses, dishes and utensils. STERODINE solution is recommended to clean and disinfect bedpans, thermometers, rubber goods in isolation technique and terminal disinfection procedure. For non-porous surfaces use 75 p.p.m. solution (3 oz. concentrate in 5 gallons of water) and for porous surfaces, use 150 p.p.m. solution (6 oz. concentrate in 5 gallons of water).

BARS OR RESTAURANTS: Wash and rinse glasses, dishes, utensils, etc., thoroughly in usual manner. Sanitize by immersing in a 12½ p.p.m. STERODINE solution (½ oz. concentrate in 5 gallons water). Change solution when color fades. Use 75 p.p.m. STERODINE solution (3 oz. concentrate in 5 gallons water) instead of using common detergent to wash glasses, rinse with water and then with 12½ p.p.m. STERODINE solution.

— CAUTION —

Should STERODINE Concentrate come into contact with eyes, rinse with water. If irritation persists, get medical attention. Silver should be removed promptly after two minutes from the solution because iodine may tarnish it.

USDA REGISTRATION No. 337-29

Lester Laboratories

INCORPORATED

• **ATLANTA, GEORGIA** •

PLANT: EAST POINT GEORGIA