### ALGAECIDE No. 20

The presence of rigae in outdoor swimming pools is objectionable because of the color, cloudiness, odor, and increased chlorine demand of the water. The use of LESTER SWIMMING POOL ALGAECIDE No. 20 will help to maintain the water in a clean, sanitary condition.

LESTER SWIMMING POOL ALGAECIDE No. 20 is compatible with the usual swimming pool water treatment chemicals. By controlling algae growth with LESTER SWIMMING POOL ALGAECIDE No. 20, the chlorine demand of the pool may be significantly reduced.

CAUTION: Avoid contamination of food. Product is harmful if swallowed. Avoid contact of concentrate with skin and eyes. In case of contact, flush with plenty of water. If irritation persists, obtain medical attention.

U.S.D.A. REGISTRATION No. 337-50

# SWIMMING POOL ALGAECIDE No. 20

#### **ACTIVE INGREDIENTS:**

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimenthyl benzyl ammonium chlorides ... 10.0%

CAUTION: Keep out of reach of children.

See Left Panel for Additional Caution Statements.



**CONTENTS:** 

**GALLONS** 

ACCEP ANEXQUE VE PRODUCT OF

Jul 16 1970

## **ALGAECIDE No. 20**

#### For Removing Existing Algae Growth

- 1. If algae growth is visible, add 1 gallon LESTER SWIMMING POOL ALGAECIDE No. 20 for each 40,000 gallons of water to kill and control those algal species most commonly found in swimming pools.
- 2. When existing algae growth is dead and algae have withered, clean the pool, draining and re-filling if necessary. If pool is drained mix 1/2 ounce LESTER SWIMMING POOL ALGAECIDE No. 20 in 4 gallons of water and mop on pool walls and floor. Allow solution to stand on walls and floor for 5 minutes. Flush pool walls and floor and then re-fill. Add 1/2 gallon LESTER SWIMMING POOL ALGAECIDE No. 20 for each 50,000 gallons of water in the pool.

## To Control Algae Growth in Swimming Pools

- 1. After filling the pool, if algae growth is absent, use 1/2 gallon LESTER SWIM-MING POOL ALGAECIDE No. 20 for each 50,000 gallons of water.
- 2. Add 1 pint of LESTER SWIMMING POOL ALGAECIDE No. 20 per 50,000 gallons of water every 5 to 7 days, to maintain between 1 to 5 parts per million of active ingredient. See Lester Representative for test kit.