

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

NOTICE OF PESTICIDE: ☒ REGISTRATION
☐ REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

341-46
EPA REGISTRATION NO.

DATE OF ISSUANCE

3/28/89

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Forney Corporation
1000 S.W. 22nd Avenue
Fort Lauderdale, FL 33311

227718 / 160
17

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The registrant is notified that the registration of this product is conditional upon the submission of data required for registration under section 3(c)(5) of the Act (15 U.S.C. 1361(c)(5)) and the submission of data required for registration under section 3(c)(5) of the Act (15 U.S.C. 1361(c)(5)).

The registrant is notified that the registration of this product is conditional upon the submission of data required for registration under section 3(c)(5) of the Act (15 U.S.C. 1361(c)(5)) and the submission of data required for registration under section 3(c)(5) of the Act (15 U.S.C. 1361(c)(5)).

The registrant is notified that the registration of this product is conditional upon the submission of data required for registration under section 3(c)(5) of the Act (15 U.S.C. 1361(c)(5)) and the submission of data required for registration under section 3(c)(5) of the Act (15 U.S.C. 1361(c)(5)).

a. Add the phrase, "EPA Registration No. 341-46."

b. The statement "contains petroleum distillate" and the "Precautionary Statements" must appear immediately following the ingredient statement.

c. The statement of Practical Treatment" section must appear on the front panel of the label immediately following "Keep Out of Reach of Children" and "CAUTION."

d. Under "Physical and Chemical Hazards", replace "stor" with "store".

☐ ATTACHMENT IS APPLICABLE

BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL

[Signature]

DATE
3/28/89

-2-

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Enclosures A/S

Lois A. Rossi
 Product Manager (21)
 Fungicide-Herbicide Branch
 Registration Division (H7505C)

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

ZEHRUNG CORPORATION

*Revised
C97*

Clear, Paintable
Water repellent
Oil Based
Wood Preservative

ZEREFEL 2

INGREDIENTS:

Active Ingredient

3-Iodo-2-Propynyl Butyl Carbamate.....0.5% ✓

Inert Ingredients.....99.5% ✓

100.0%

Controls rot, mold and mildew

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read Precautions Elsewhere On Label

One U.S. Gallon (3.785 Liters) 128 Fl. Oz.

BEST AVAILABLE COPY

ZEHRUNG CORPORATION

16416 S.W. 72nd Ave.
Portland, OR. 97224

3273 Casitas Ave.
Los Angeles, CA. 90039

MAR 27 1989

341-46

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

CAUTION: ~~CONTAINS PETROLEUM DISTILLATES~~. Use only with adequate ventilation. Avoid breathing of vapor or spray mist. Harmful if swallowed or inhaled. Do not get in eyes, skin or clothing. Wear goggles and rubber gloves when handling and rubber gloves and protective clothing when handling freshly treated lumber. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before re-use.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED: Do not induce vomiting. Promptly drink a large quantity of milk, egg whites or gelatin solution. If not available, drink large quantities of water. Do not give anything by mouth to an unconscious person. Avoid alcohol. Get medical attention immediately.

IF INHALED: Remove victim to fresh air.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

BEST AVAILABLE COPY

This pesticide is toxic to fish. Do not apply directly to water.
✓ Do not contaminate water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame. In case of fire, use water spray, foam, carbon dioxide or dry chemical.

STORAGE AND DISPOSAL

STORAGE: Close container tightly after each use. Store in cool, well ventilated location away from sources of heat, sparks and flames. If container is punctured or damaged, transfer contents to a clean, approved fuel container.

DISPOSAL:

Household: Do not reuse original container. Wrap empty container securely in several layers of newspaper and dispose of in trash.

Commercial:

Pesticide Disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food or feed by storage or disposal.

Container Disposal. Do not reuse container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

ZEREPEL 2 WATER REPELLENT WOOD PRESERVATIVE CONTROLS ROT, MOLD AND MILDEW.

ZEREPEL 2 is a clear penetrating water repellent system which contains a fungicide for protection against the organisms which cause rot, mold and mildew. Use ZEREPEL 2 to prolong the life of decks, fences, siding, shakes, shingles, sash and trim; almost any above ground exterior wood surface which has not been painted or stained.

CONTROLS WARPING AND SWELLING

Zerepel 2 provides water repellency, which reduces warping and checking caused by rapid shrinking and swelling of wood surfaces.

PAINTABLE

Zerepel 2 used as an undercoat adds to the life of wood finishes by making wood surfaces more dimensionally stable as well as by restricting growth of mold and mildew producing fungi.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with it's label.

Apply Zerepel 2 by low pressure spray, brushing, dipping, soaking or rolling. Wood to be treated must be clean, thoroughly dry, and free from old finishes, accumulated dust, etc. Whenever possible, all cutting should be completed before application. When spraying, use a coarse wet spray to minimize overspray. When brushing, apply multiple flowing coats. The most effective treatment is obtained by dipping or soaking. Allow at least five minutes soak time for each inch of board thickness. Pay particular attention to joints and exposed end grain since these areas are the most susceptible to moisture damage.

This product can be used for all above ground applications. Do not use this product where any portion of the treated wood will be below ground. This product is not recommended for use on primed or previously painted surfaces. Do not use on wood that will be in contact with food, feed, potable water or prolonged dermal (skin) contact. Due to the presence of petroleum distillates in this product, do not use where dairy cattle or livestock can come in contact with the treated wood.

COVERAGE

Coverage varies by species and density of wood. Allow 150-200 square feet per gallon for spraying, rolling and brushing and 5 to 10 gallons per thousand board feet when dipping or soaking. Allow treated wood to dry 72 hours (longer in cold weather) before painting. Use oil based or good quality latex top coat.

SPRAYING

When spraying Zerepel 2 with paint spraying equipment use low pressure setting, wear an organic vapor mask and suitable eye protection. Applying paints and stains often results in splashing or dripping. Cover desirable plants and shrubs to prevent against possible injury.

WARRANTY

This product is warranted to give satisfactory performance only if used as recommended. Liability shall be limited to refund of purchase price or replacement of this product. There are no other warranties expressed or implied.

Zerepel 2 exceeds NWMA and Fed. MIL spec. TT-W-572, water repellency.

EPA REG. NO. 341-

EPA EST. NO. 47839-OR-1

BEST AVAILABLE COPY