

# CASTLE FARM CHEMICALS

## DIRECTIONS FOR USE:

### Sanitization of Potato Storage Bins Surfaces

Saturate all potato bin surfaces, and wooden bin dividers, with "Castle" Sanitizing solution, using one ounce of Sanitizer diluted in two gallons of water. Clean and rinse equipment thoroughly with potable water to run off before reusing. Scrub equipment with a solution of one ounce of product to four gallons of water. On surfaces difficult to clean completely, increase strength of solution to one ounce of product to one gallon of water, and rinse as above.

### DANGER:

Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food. Do not mix with soap. Do not take internally. Do not dilute or store in iron or tin containers.

MANUFACTURED BY  
CASTLE CHEMICAL COMPANY  
SAVAGE, MINN. 55378

EPA Reg. No. 343-22

EPA Est. No. 343-MN-2

Net Contents \_\_\_\_\_ Gal.

# CASTLE SANITIZER

For general sanitizing of potato warehouses, floors, walls, bags, and machinery.

## QUATERNARY AMMONIUM

### DANGER:

KEEP OUT OF REACH OF CHILDREN  
SEE FIRST AID AND OTHER  
PRECAUTIONS ON SIDE PANELS

Active Ingredients: Methyl dodecyl benzyl  
trimethyl ammonium chloride . . . . . 4%  
Methyl dodecyl xylene bis (trimethyl  
ammonium chloride) . . . . . 1%

Inert Ingredients: Water . . . . . 95%  
100%

## FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

## NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short acting barbiturate drug.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Rinse empty containers thoroughly with water before discarding.

