



**ACCEPTED**

MAY 24 1967

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 346-6 SUBJECT  
TO ATTACHED COMMENTS.

REVENGE®

# LITTER SPRAY DISINFECTANT

For Spraying Poultry Houses, Brooder Houses, Litter, etc.,  
for General Disinfecting and Killing Red Mites

PHENOL COEFFICIENT.....5 AOAC

**Active Ingredients:**

Cresylic Acid.....	12.0%
Neutral Coal Tar Oil.....	58.0%
Soaps.....	20.0%
<b>INERT INGREDIENT (water).....</b>	<b>10.0%</b>
	100.0%

**CONTENTS 1 QUART**

Manufactured by  
I. D. RUSSELL CO. LABORATORIES, KANSAS CITY, MO.

*WARNING*

**CAUTION:**

**Keep Out of Reach of Children**  
See Side Panel for Additional Cautions

**DIRECT**

**FOR DISIN**

poultry houses, hog houses, c  
mix one part of Revenge Lit  
water and spray until all equip

**FOR SPRAYII**

in poultry, brooder or hog h  
parts of water or kerosene.

**FOR RED**

in poultry houses. Clean all p  
Mix one part to 10 parts of  
spray thoroughly into all cra  
house. Remove nesting mate  
Repeat as often as necessary

**FOR DISINFECTING FEEDING**

Spray or scrub thoroughly wi  
water, then rinse with clear v  
For above purposes, repeat as

**REVENGE LIT**

Revenge Litter Spray has a ph  
and is an effective disinfe  
perches, floors, litter and all  
houses and hog, sheep and ca  
job of disinfecting, all dirt, s  
terial should first be remo  
equipment sprayed until th  
proper strength solution. At  
litter and nesting material. T  
Litter Spray will aid greatly  
infectious disease by contam

**POISON IF TAK**

**WARNING: May be fatal if swal**  
**Produce Severe Burns! Do not g**  
**Avoid breathing spray mist. Wash**  
**from children, domestic animals c**

U.S.D

**ACCEPTED**

MAY 24 1967

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 346-6 SUBJECT  
TO ATTACHED COMMENTS.

**RAY  
ANT**

ises, Litter, etc.,  
Red Mites

.....5 AOAC

..... 12.0%  
..... 58.0%  
..... 20.0%  
..... 10.0%  
100.0%

**WARNING**

**CAUTION:**

**ST. LOUIS, MO. Keep Out of Reach of Children  
See Side Panel for Additional Cautions**

**DIRECTIONS**

**FOR DISINFECTING**

poultry houses, hog houses, cattle and sheep barns, etc., mix one part of Revenge Litter Spray to 100 parts of water and spray until all equipment is thoroughly wetted.

**FOR SPRAYING LITTER**

in poultry, brooder or hog houses, mix one part to 30 parts of water or kerosene.

**FOR RED MITES**

in poultry houses. Clean all perches and dropping boards. Mix one part to 10 parts of water or kerosene. Force spray thoroughly into all cracks and crevices about the house. Remove nesting material and spray nest boxes. Repeat as often as necessary to control.

**FOR DISINFECTING FEEDING AND WATERING UTENSILS**

Spray or scrub thoroughly with one part to 30 parts of water, then rinse with clear water.

For above purposes, repeat as necessary.

**REVENGE LITTER SPRAY**

*AOAC*

Revenge Litter Spray has a phenol coefficient of 5 ~~FEA~~ and is an effective disinfectant for spraying walls, perches, floors, litter and all interior fixtures of poultry houses and hog, sheep and cattle barns. To do a thorough job of disinfecting, all dirt, soiled litter and nesting material should first be removed and the premises and equipment sprayed until thoroughly wetted with the proper strength solution. After spraying, replace fresh litter and nesting material. The frequent use of Revenge Litter Spray will aid greatly in preventing the spread of infectious disease by contaminated objects.

**POISON IF TAKEN INTERNALLY**

**WARNING: May be fatal if swallowed or absorbed through skin! May Produce Severe Burns! Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Wash thoroughly after handling. Keep away from children, domestic animals and foods.**